



# **CONDUCTIVE FABRIC**

**DESK HEIGHT**

# SERIES 10



AL12-FC



PL12-FC

Super Heavy Duty 450 lbs, Capacity, Waterfall 3" High Resilient Density Foam for Better Comfort

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
AL12-FC	Conductive Fabric	17"-22"	20"W x 18"D	15"W x 12"H	Polished Aluminum	No	9
PL12-FC	Conductive Fabric	17"-22"	20"W x 18"D	15"W x 12"H	Black Nylon	Yes	1



AM12-FC



PM12-FC

Super Heavy Duty 450 lbs, Capacity, Waterfall 3" High Resilient Density Foam for Better Comfort

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
AM12-FC	Conductive Fabric	17"-22"	20"W x 18"D	16"W x 16"H	Polished Aluminum	No	9
PM12-FC	Conductive Fabric	17"-22"	20"W x 18"D	16"W x 16"H	Black Nylon	Yes	1



AE12-FC



PE12-FC

Super Heavy Duty 450 lbs, Capacity, Waterfall 3" High Resilient Density Foam for Better Comfort

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
AE12-FC	Conductive Fabric	17"-22"	20"W x 18"D	16"W x 16"H	Polished Aluminum	No	9
PE12-FC	Conductive Fabric	17"-22"	20"W x 18"D	16"W x 16"H	Black Nylon	Yes	1

# SERIES 20S



Super Heavy Duty 450 lbs, Capacity, Waterfall Front Contour Seat and 2.5" High Resilient Density Foam for Better Comfort

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
AM22S-FC	Conductive Fabric	17"-22"	18"W x 18"D	1"W x 16"H	Polished Aluminum	No	9
PM22S-FC	Conductive Fabric	17"-22"	18"W x 18"D	16"W x 16"H	Black Nylon	Yes	1



Super Heavy Duty 450 lbs, Capacity, Waterfall Front Contour Seat and 2.5" High Resilient Density Foam for Better Comfort

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
AL22S-FC	Conductive	17"-22"	18"W x 18"D	15"W x 12"H	Polished Aluminum	No	9
PL22S-FC	Conductive	17"-22"	18"W x 18"D	15"W x 12"H	Black Nylon	Yes	1

# SERIES 20M



AM22M-FC



PM22M-FC

Super Heavy Duty 450 lbs, Capacity, Waterfall Front Contour Seat and 3" High Resilient Density Foam for Better Comfort.

MODEL	Upholstery Type	Height	Seat	Back	Base	Drag Chain	Caster
AM22M-FC	Conductive Fabric	17"-22"	20"W x 18"D	16"W x 16"H	Polished Aluminum	No	9
PM22M-FC	Conductive Fabric	17"-22"	20"W x 18"D	16"W x 16"H	Black Nylon	Yes	1



AL22M-FC



PL22M-FC

Super Heavy Duty 450 lbs, Capacity, Waterfall Front Contour Seat and 3" High Resilient Density Foam for Better Comfort.

MODEL	Upholstery Type	Height	Seat	Back	Base	Drag Chain	Caster
AL22M-FC	Conductive	17"-22"	20"W x 18"D	15"W x 12"H	Polished Aluminum	No	9
PL22M-FC	Conductive Fabric	17"-22"	20"W x 18"D	15"W x 12"H	Black Nylon	Yes	1



AE22M-FC



PE22M-FC

Super Heavy Duty 450 lbs, Capacity, Waterfall Front Contour Seat and 3" High Resilient Density Foam for Better Comfort.

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
AE22M-FC	Conductive Fabric	17"-22"	20"W x 18"D	19"W x 16.5"H	Polished Aluminum	No	9
PE22M-FC	Conductive Fabric	17"-22"	20"W x 18"D	19"W x 16.5"H	Black Nylon	Yes	1

# SERIES 20W



AE22W-FC



PE22W-FC

Super Heavy Duty 450 lbs, Capacity, Waterfall 3" High Resilient Density Foam for Better Comfort

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
AE22W-FC	Conductive Fabric	17"-22"	21.5"W x 18"D	19"W x 16.5"H	Polished Aluminum	No	9
PE22W-FC	Conductive Fabric	17"-22"	21.5"W x 18"D	19"W x 16.5"H	Black Nylon	Yes	1



AL22W-FC



PL22W-FC

Super Heavy Duty 450 lbs, Capacity, Waterfall 3" High Resilient Density Foam for Better Comfort

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
AL22W-FC	Conductive Fabric	17"-22"	21.5"W x 18"D	19"W x 16.5"H	Polished Aluminum	No	9
PL22W-FC	Conductive Fabric	17"-22"	21.5"W x 18"D	19"W x 16.5"H	Black Nylon	Yes	1



AM22W-FC



PM22W-FC

Super Heavy Duty 450 lbs, Capacity, Waterfall 3" High Resilient Density Foam for Better Comfort

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
AM22W-FC	Conductive Fabric	17"-22"	21.5"W x 18"D	16"W x 16"H	Polished Aluminum	No	9
PM22W-FC	Conductive Fabric	17"-22"	21.5"W x 18"D	16"W x 16"H	Black Nylon	Yes	1



## SERIES 45



A47-FC



P47-FC

Super Heavy Duty 300 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding on Seat and Back for a good Protection of Fabric and Vinyl

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
A47-FC	Conductive Fabric	17"-22"	18"W x 17"D	15.5"W x 13"H	Polished Aluminum	No	9
P47-FC	Conductive Fabric	17"-22"	18"W x 17"D	15.5"W x 13"H	Black Nylon	Yes	1

## SERIES 50



52-DF

Super Heavy Duty 300 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
52-DF	Conductive Fabric	17"-22"	18"W x 17"D	15"W x 12"H	Black Nylon	Yes	1

# SERIES 60



Super Heavy Duty 300 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Base	Drag Chain	Caster
A62-FC	Conductive Fabric	17"-22"	18"W x 17"D	15"W x 12"H	Polished Aluminum	No	9
P62-FC	Conductive Fabric	17"-22"	18"W x 17"D	15"W x 12"H	Black Nylon	Yes	1

## Conductive Seating Features:

Industrial Seating™conductive seating insures a safe, static-clear work area. All IST™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IST™ dual resistance system.

## Isstat Group IV Fabrics ESD

• Material 98% Polyolefin, 2% Carbon Infused Nylon • Surface Resistance: 10<sup>6</sup> omhs per Square

• Flamability: Pass California tech. Bulletin 117



# OPTIONS



DLC



ST



FLC

Controls	Description
DLC	Height and Back Tilt (This control has two levers for seat height and back angle adjustment and back height adjustment with knob)
ST	Height and Seat and Back Tilt ( This control has two levers, one for height adjustment and the other for Seat and Back tilt adjustment and back height with knob)
FLC	Three Lever for Individual Lift ( Height lever adjustment, seat tilt adjustment back



FR04



FR05



FR06

Footring	Description
FR04	Knobless Nylon Footring 18" The Footring is Loosened and Tightened by Turning the Outer Ring. (option for models 20S, 45, 50 and 60)
FR05	Knobless Aluminum with Steel Ring 20" The Footring is Loosened and Tightened by Turning the Outer Footring. (option
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)



TF



TA



TAA

Arms	Description
TF	Fixed Height and Width, Black
TA	Fixed Height and Adjustable Width, Black
TAA	Adjustable Height and Adjustable Width



1B



1U



1UB



2

Caster	Description
1B	Braking Caster , Recommended where Chairs may roll to easily when is Not Occupied
1U	Soft Urethane Caster, Recommended on Tile, Cement and other Hard Surfaces
1UB	Soft Urethane Braking Caster, Recommended for reduce Mobility when is Not Occupied
2	Nylon Glide, Recommended for use in areas where requiring limited mobility



TF-BX-C



TA-BX-C



TAA-BX-C

Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads



9B



9U



9UB



11

Caster	Description
9B	ESD Braking Caster , Recommended where Chairs may roll to easily when is Not Occupied
9U	ESD Soft Urethane Caster, Recommended on Tile, Cement and other Hard Surfaces
9UB	ESD Soft Urethane Braking Caster, Recommended for reduce Mobility when is Not Occupied
11	ESD Nylon Glide, Recommended for use in areas where requiring limited mobility