

# **CLEANROOM VINYL**

**DESK HEIGHT** 

#### **10 SERIES**



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
AL12-VCR	Cleanroom Vinyl	17"-22"	20" W x 18" D	15" W x 12" H	Polished Aluminum	1
PL12-VCR	Cleanroom Vinyl	17"-22"	20" W x 18" D	15" W x 12" H		1



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
AM12-VCR	Cleanroom Vinyl	17"-22"	20" W x 18" D	16" W x 16" H	Polished	1
PM12-VCR	Cleanroom Vinyl	17''-22''	20" W x 18" D	16" W x 16" H	Black Nylon	1



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
AE12-VCR	Cleanroom Vinyl	17"-22"	20" W x 18" D	19" W x 16.5" H	Polished	1
PE12-VCR	Cleanroom Vinyl	17"-22"	20" W x 18" D	19" W x 16.5" H	Black Nylon	1

#### **20S SERIES**



Super Heavy Duty 450 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Model	Upholstery	Height	Seat	Back	Base	Caster
	Туре	Adjustment	Dimensions	Dimensions		
AM22S-VCR	Cleanroom	17"-22"	18" W x 18" D	16" W x 16" H	Polished Aluminum	1
PM22S-VCR	Cleanroom	17"-22"	18" W x 18" D	16" W x 16" H	Black Nylon	1



Super Heavy Duty 450 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Model	Upholstery	Height	Seat	Back	Base	Caster
	Туре	Adjustment	Dimensions	Dimensions		
AL22S-VCR	Cleanroom	17''-22''	18" W x 18" D	15" W x 12" H	Polished Aluminum	1
PL22S-VCR	Cleanroom	17"-22"	18" W x 18" D	15" W x 12" H	Black Nylon	1

#### **20M SERIES**



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
AM22M-VC	CR Cleanroom Vinyl	17"-22"	20" W x 18" D	16" W x 16" H	Polished Aluminum	1
PM22M-VC	CR Cleanroom Vinyl	17"-22"	20" W x 18" D	16" W x 16" H	Black Nylon	1



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
AL22M-VCR	Cleanroom Vinyl	17''-22''	20" W x 18" D	15" W x 12" H	Polished Aluminum	1
PL22M-VCR	Cleanroom Vinyl	17''-22''	20" W x 18" D	15" W x 12" H	Black Nylon	1



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
AE22M-VCR	Cleanroom Vinyl	17"-22"	20" W x 18" D	19" W x 16.5" H	Polished Aluminum	1
PE22M-VCR	Cleanroom Vinyl	17"-22"	20" W x 18" D	19" W x 16.5" H	Black Nylon	1

#### **20W SERIES**



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Мо	odel	Upholstery Type	Height	Seat	Back	Base	Caster
			Adjustment	Dimensions	Dimensions		
AE2	22W-VCR	Cleanroom Vinyl	17"-22"	21.5" W x 18" D	16" W x 16.5" H	Polished	1
PE2	22W-VCR	Cleanroom Vinyl	17"-22"	21.5" W x 18" D	16" W x 16.5" H	Black Nylon	1



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
AL22W-VCR	Cleanroom Vinyl	17"-22"	21.5" W x 18" D	16" W x 16" H	Polished	1
					Aluminum	
PL22W-VCR	Cleanroom Vinyl	17''-22''	21.5" W x 18" D	16" W x 16" H	Black Nylon	1



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
AM22W-VCR	Cleanroom Vinyl	17''-22''	21.5" W x 18" D	16" W x 16" H	Polished	1
PM22W-VCR	Cleanroom Vinyl	17"-22"	21.5" W x 18" D	16" W x 16" H	Black Nylon	1

#### **45 SERIES**



Super Heavy Duty 300 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding on Seat and Back for a good Protection of Fabric and Vinyl.

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
A47-VCR	Cleanroom Vinyl	17"-22"	18"W x 17"D	15.5"W x 13"H	Polished Aluminum	1
P47-VCR	Cleanroom Vinyl	17"-22"	18"W x 17"D	15.5"W x 13"H	Black Nylon	1

### **50 SERIES**



Super Heavy Duty 300 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
52-VCR	Cleanroom Vinyl	17"-22"	18" W x 17" D	15" W x 12" H	Black Nylon	1

#### **60 SERIES**



Super Heavy Duty 300 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & back

Model	Upholstery Type	Height	Seat	Back	Base	Caster
		Adjustment	Dimensions	Dimensions		
A62-VCR	Cleanroom Vinyl	17''-22''	18"W x 17"D	15.5"W x 13"H	Polished Aluminum	1
P62-VCR	Cleanroom Vinyl	17"-22"	18"W x 17"D	15.5"W x 13"H	Black Nylon	1

Industrial Seating<sup>™</sup> offers clean room seating designed to maintain reduced particulate levels as specified in federal standards 209E, Class 10/.2 micron and or class 100/.5 micron <u>Sealed System:</u> On Industrial Seating<sup>™</sup> cleanroom seating, the air passed through three 99.99% effective .2 micron filter systems. These filters allow air within the sealed cushions to be expelled under minimal pressure. This filtering system first "strains out" larger particles, then traps all particles down to below.02 micron size. Permanent adhesives are used to doubled seal edges of all cover materials used on Industrial Seating <sup>™</sup> class 10 and class 100 clean room seating.

#### PreFixx Group II

- 100 Vinyl Face, Poly/cotton Backing, Protective Coating for Increased Stain Resistence,
- Abrasion 400,000 Double Rubs
- Meets or Exceeds California Tech Bulletin 117, Boston Fire Dept. IX-1, Federal Standard A-A-2950, UFAC Fabric Class 1, FMVSS-302



## **OPTIONS**



Controls	Description
DLC	Height and Back Tilt (This control has two levers for seat height and back angle adjustment and back height adjustment with knob
ST	Height and Seat and Back Tilt (This control has two levers, one for height adjust- ment and the other for Seat and Back tilt adjustment and back height with knob
FLC	Three Lever for Individual Lift ( Height lever adjustment, seat tilt adjustment back tilt adjustment and height back adjustment with knob and a seat tension knob







FR04 FR05 FR06

Footring	Description
FR04	Knobless Nylon Footring 18"
	The Footring is Loosened and Tightened by Turning the Outer Ring. (option for models 20S, 45, 50 and 60)
FR05	Knobless Aluminum with Steel Ring 20"
	The Footring is Loosened and Tightened by Turning the Outer Footring. (option for models 10, 20M and 20W)
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)



Arms	Description
TF	Fixed Height and Width, Black
TA	Fixed Height and Adjustable Width, Black
TAA	Adjustable Height and Adjustable Width



Caster	Description
1B	Braking Caster , Recommended where Chairs may roll to easily when is Not Oc-
	cupied
1U	Soft Urethane Caster, Recommended on Tile, Cement and other Hard Surfaces
1UB	Soft Urethane Braking Caster, Recommended for reduce Mobility when is Not
	Occupied
2	Nylon Glide, Recommended for use in areas where requiring limited mobility



Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads



Caster	Description
9B	ESD Braking Caster , Recommended where Chairs may roll to easily when is
9U	ESD Soft Urethane Caster, Recommended on Tile, Cement and other Hard
9UB	ESD Soft Urethane Braking Caster, Recommended for reduce Mobility when is
11	ESD Nylon Glide, Recommended for use in areas where requiring limited mobility