




MetroMax[®] Product Guide



Contents

The only shelving guaranteed never to collapse.



Why Metro shelving is superior:

- ✓ ONE-PIECE FRAMES
- ✓ 360° COLLAR CAPTURE DESIGN
- ✓ EASY ASSEMBLY
- ✓ ADJUSTS IN 1" INCREMENTS
- ✓ MOBILE READY
- ✓ HEAVIER LOAD RATINGS

Ways to Configure	4-7
Expert Tips.....	8-9
MetroMax 4	10-28
MetroMax Q	30-42
MetroMax i	44-62



Choose the ideal shelving set-up.

EZ-Order Models for Basic Layouts

3 configuration types to choose from in 4-shelf and 5-shelf units.



Stationary

- 4 posts
- Independent 1" shelf adjustment
- Best for heavy loads
- Dunnage shelf compatible
- Most storage & accessory options



Add-on

- 2 posts & S-hooks
- Best open access corner layouts in tight spaces
- Shelves connect to adjacent shelves



Mobile

- 4 posts and 4 casters
- Independent 1" shelf adjustment
- Movable storage
- Transport Supplies

Build á la Carte for Customized Layouts

á la Carte

- 1" Shelf adjustment promotes mixing in units of 6 or more tiers to maximize vertical space.
- Configure units using shelves, posts and optional casters for a customizable build.
- Add an extra shelf to a preconfigured model when you need it.

Add Shelves.



Using the right number of shelves eliminates stacking supplies which often leads to lost efficiency – extra time finding items, getting to the item you need, and wasted vertical space.



Ways to Configure

Inline Configurations with Independent Units



Stationary Runs

- Best for Heavy Loads
- Dunnage Shelf Compatible
- Most Overall Space Efficient
- Independent 1" Shelf Adjustment
- Most Storage Options



Mobile Units

- Easy to Clean Behind
- Flexibility to Change
- Transport Supplies
- Independent 1" Shelf Adjustment

Connected End-to-End Inline Configurations

Stationary (Starter) & Add-On Units



- Add-on unit with 2 posts connects to a Starter model with 4 posts.
- Shelves connect to each other – the entire connected shelf tier is repositioned


S-hooks Required.

Standard S-hooks (included with Add-on Units) join the collars of each shelf.
(MetroMax 4, S-hooks shown)




Corner Configurations

Stationary (Starter) & Add-On Units



- Add-on unit with 2 posts connects to a Starter models with 4 posts.
- Shelves connect to each other – the entire connected shelf tier is repositioned.




"S" Hooks Required.




Standard S-hooks (included with Add-on Units) join the collars of each shelf.
Intermediate S-hooks (ordered separately) connect to the Add-on unit shelf on the front access side.
(MetroMax 4, S-hooks shown)

U-Shape Configurations

Stationary (Starter) & Add-On Units



- Add-on unit with 2 posts connects to a Starter models with 4 posts.
- Shelves connect to each other – the entire connected shelf tier is repositioned.



S-hooks Required.



Standard S-hooks (included with Add-on Units) join the collars of each shelf.
Intermediate S-hooks (ordered separately) connect to the Add-on unit shelf on the front access side.
(MetroMax 4, S-hooks shown)

Expert tips

Mixed Configurations

Mobile, Stationary (Starter) & Add-On Units



Metro Recommended Configuration.

Corners are most space efficient without obstructive corner posts...so use add-on units there. Now integrate mobile configurations for easy cleaning and flexibility. If you have a bit of room, we recommend you utilize as many mobile units as possible.

IMPORTANT! Top shelf level of the add-on can be removed and cut or shorter posts can be used to accommodate condensing units or other obstructions.

Storing Heaviest Loads



Dunnage Shelf

Add a **Dunnage** bottom shelf to a 4-shelf starter model to upgrade it to a 5-shelf with increased load capacity on the bottom shelf.

Tips

- Using independent units
- Using short posts on an Add-on unit (inline or corners)
- Using MetroMax i bottom shelves
- Using MetroMax i dunnage shelves




Support Posts

Add (2) **Short Posts** to the bottom shelf of the add-on unit.
MX8CP: 6.25" off floor
MX10CP: 8.25" off floor
MX12CP: 10.25" off floor.

Maximize Vertical Space

Stationary (Starter)



IMPORTANT! Shelves adjust in 1" (25mm) increments. Use the appropriate number of tiers or adjust shelves based on the objects stored.

Mobile



MetroMax® 4

All-Plastic Shelving with Removable Mats

- 


Sturdiness
Full 360° capture of the post in each corner.
- 

Strength
Holds up to 800lbs. per shelf
2000lbs. per unit.
- 

Durability
Rust proof and built to last a lifetime. Never falls down.



100%
RUST PROOF



Sectioned Grid or Solid Mats Available.

Wet Environment	Cleanability	Abrasion Resistance	Accessorization	Shelf Capacity	Relative Price	Corrosion Warranty
★★★★	★★★★	★★★★	★★	800lbs. (363kg)	\$\$\$	Lifetime

- Most used for:**
- Coolers
 - Freezers
- Standard Loads
 - Mobile Applications
 - Dish Areas
- Drying Racks
 - Wet Areas
 - Dry Storage
- Track Shelving



All-Polymer Mobile or Stationary Posts



Mobility

Superior design accomodates carts & overhead track shelving.



Cleanability

Removable shelf mats can be cleaned quickly & easily and have built-in Microban® antimicrobial protection.



Assembly

Assembles in 1/2 the time of ladder style shelving.




NSF

Full NSF listing that includes shelves posts & accessories.

Features and Benefits:

- **Rust & Corrosion Proof:** All-polymer construction withstands moisture, chemicals, and harsh environments.
- **Proven Stability:** Proven Metro corner design and rigid four-sided shelf frame deliver sturdy runs of shelving. The only shelving guaranteed never to collapse.
- **Easy-to-Clean:** 6" (152 mm) wide shelf mats easily remove from the shelf for cleaning by hand or in a commercial washer / dish machine.
- **Microban® Antimicrobial Product Protection:** Is built into the shelf mats to help fight the growth of stain and odor-causing bacteria, fungi, mold, and mildew to keep product cleaner between cleanings.
- **Easy Access:** Corner configurations allow easy access to the shelf contents by eliminating a front post.
- **Smooth, Protective Surfaces:** Smooth, flat surfaces protect packaged shelf contents from unwanted rips, tears, or damage.
- **Efficient Use of Space:** Shelves adjust on 1" (25 mm) increments along the post to maximize the use of available vertical space.
- **Fast, Easy Assembly:** Shelves are ready to use right out of the box. One-piece wedges securely attach to the posts. Window on wedge aligns with numbers on the post to locate the desired shelf position. Shelf seats into position over the posts and wedges. A unit can be assembled without tools in minutes.

Part Number Explanation



MetroMax® 4 Shelving — Stationary Units and Add-on Units



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	M4-1824G-63-S4	M4-1824G-63-A4	M4-1824G-63-S5	M4-1824G-63-A5
18x30	457x760	M4-1830G-63-S4	M4-1830G-63-A4	M4-1830G-63-S5	M4-1830G-63-A5
18x36	457x914	M4-1836G-63-S4	M4-1836G-63-A4	M4-1836G-63-S5	M4-1836G-63-A5
18x42	457x1060	M4-1842G-63-S4	M4-1842G-63-A4	M4-1842G-63-S5	M4-1842G-63-A5
18x48	457x1219	M4-1848G-63-S4	M4-1848G-63-A4	M4-1848G-63-S5	M4-1848G-63-A5
18x54	457x1372	M4-1854G-63-S4	M4-1854G-63-A4	M4-1854G-63-S5	M4-1854G-63-A5
18x60	457x1524	M4-1860G-63-S4	M4-1860G-63-A4	M4-1860G-63-S5	M4-1860G-63-A5
21x24	530x610	M4-2124G-63-S4	M4-2124G-63-A4	M4-2124G-63-S5	M4-2124G-63-A5
21x30	530x760	M4-2130G-63-S4	M4-2130G-63-A4	M4-2130G-63-S5	M4-2130G-63-A5
21x36	530x914	M4-2136G-63-S4	M4-2136G-63-A4	M4-2136G-63-S5	M4-2136G-63-A5
21x42	530x1060	M4-2142G-63-S4	M4-2142G-63-A4	M4-2142G-63-S5	M4-2142G-63-A5
21x48	530x1219	M4-2148G-63-S4	M4-2148G-63-A4	M4-2148G-63-S5	M4-2148G-63-A5
21x54	530x1372	M4-2154G-63-S4	M4-2154G-63-A4	M4-2154G-63-S5	M4-2154G-63-A5
21x60	530x1524	M4-2160G-63-S4	M4-2160G-63-A4	M4-2160G-63-S5	M4-2160G-63-A5
24x24	610x610	M4-2424G-63-S4	M4-2424G-63-A4	M4-2424G-63-S5	M4-2424G-63-A5
24x30	610x760	M4-2430G-63-S4	M4-2430G-63-A4	M4-2430G-63-S5	M4-2430G-63-A5
24x36	610x914	M4-2436G-63-S4	M4-2436G-63-A4	M4-2436G-63-S5	M4-2436G-63-A5
24x42	610x1060	M4-2442G-63-S4	M4-2442G-63-A4	M4-2442G-63-S5	M4-2442G-63-A5
24x48	610x1219	M4-2448G-63-S4	M4-2448G-63-A4	M4-2448G-63-S5	M4-2448G-63-A5
24x54	610x1372	M4-2454G-63-S4	M4-2454G-63-A4	M4-2454G-63-S5	M4-2454G-63-A5
24x60	610x1524	M4-2460G-63-S4	M4-2460G-63-A4	M4-2460G-63-S5	M4-2460G-63-A5

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

OPEN GRID Mat Shelves — Stationary Units and Add-On Units




Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits

(2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**
Cat. No.
MAX4-9995



Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)
Five-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR5**
(includes 5 intermediate S-hook brackets)

MetroMax® 4 Shelving — Stationary Units and Add-on Units



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	M4-1824G-74-S4	M4-1824G-74-A4	M4-1824G-74-S5	M4-1824G-74-A5
18x30	457x760	M4-1830G-74-S4	M4-1830G-74-A4	M4-1830G-74-S5	M4-1830G-74-A5
18x36	457x914	M4-1836G-74-S4	M4-1836G-74-A4	M4-1836G-74-S5	M4-1836G-74-A5
18x42	457x1060	M4-1842G-74-S4	M4-1842G-74-A4	M4-1842G-74-S5	M4-1842G-74-A5
18x48	457x1219	M4-1848G-74-S4	M4-1848G-74-A4	M4-1848G-74-S5	M4-1848G-74-A5
18x54	457x1372	M4-1854G-74-S4	M4-1854G-74-A4	M4-1854G-74-S5	M4-1854G-74-A5
18x60	457x1524	M4-1860G-74-S4	M4-1860G-74-A4	M4-1860G-74-S5	M4-1860G-74-A5
21x24	530x610	M4-2124G-74-S4	M4-2124G-74-A4	M4-2124G-74-S5	M4-2124G-74-A5
21x30	530x760	M4-2130G-74-S4	M4-2130G-74-A4	M4-2130G-74-S5	M4-2130G-74-A5
21x36	530x914	M4-2136G-74-S4	M4-2136G-74-A4	M4-2136G-74-S5	M4-2136G-74-A5
21x42	530x1060	M4-2142G-74-S4	M4-2142G-74-A4	M4-2142G-74-S5	M4-2142G-74-A5
21x48	530x1219	M4-2148G-74-S4	M4-2148G-74-A4	M4-2148G-74-S5	M4-2148G-74-A5
21x54	530x1372	M4-2154G-74-S4	M4-2154G-74-A4	M4-2154G-74-S5	M4-2154G-74-A5
21x60	530x1524	M4-2160G-74-S4	M4-2160G-74-A4	M4-2160G-74-S5	M4-2160G-74-A5
24x24	610x610	M4-2424G-74-S4	M4-2424G-74-A4	M4-2424G-74-S5	M4-2424G-74-A5
24x30	610x760	M4-2430G-74-S4	M4-2430G-74-A4	M4-2430G-74-S5	M4-2430G-74-A5
24x36	610x914	M4-2436G-74-S4	M4-2436G-74-A4	M4-2436G-74-S5	M4-2436G-74-A5
24x42	610x1060	M4-2442G-74-S4	M4-2442G-74-A4	M4-2442G-74-S5	M4-2442G-74-A5
24x48	610x1219	M4-2448G-74-S4	M4-2448G-74-A4	M4-2448G-74-S5	M4-2448G-74-A5
24x54	610x1372	M4-2454G-74-S4	M4-2454G-74-A4	M4-2454G-74-S5	M4-2454G-74-A5
24x60	610x1524	M4-2460G-74-S4	M4-2460G-74-A4	M4-2460G-74-S5	M4-2460G-74-A5

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

OPEN GRID Mat Shelves — Stationary Units and Add-On Units




Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits

(2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**
Cat. No.
MAX4-9995



Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)
Five-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR5**
(includes 5 intermediate S-hook brackets)

MetroMax® 4 Shelving — Stationary Units and Add-on Units



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	M4-1824G-86-S4	M4-1824G-86-A4	M4-1824G-86-S5	M4-1824G-86-A5
18x30	457x760	M4-1830G-86-S4	M4-1830G-86-A4	M4-1830G-86-S5	M4-1830G-86-A5
18x36	457x914	M4-1836G-86-S4	M4-1836G-86-A4	M4-1836G-86-S5	M4-1836G-86-A5
18x42	457x1060	M4-1842G-86-S4	M4-1842G-86-A4	M4-1842G-86-S5	M4-1842G-86-A5
18x48	457x1219	M4-1848G-86-S4	M4-1848G-86-A4	M4-1848G-86-S5	M4-1848G-86-A5
18x54	457x1372	M4-1854G-86-S4	M4-1854G-86-A4	M4-1854G-86-S5	M4-1854G-86-A5
18x60	457x1524	M4-1860G-86-S4	M4-1860G-86-A4	M4-1860G-86-S5	M4-1860G-86-A5
21x24	530x610	M4-2124G-86-S4	M4-2124G-86-A4	M4-2124G-86-S5	M4-2124G-86-A5
21x30	530x760	M4-2130G-86-S4	M4-2130G-86-A4	M4-2130G-86-S5	M4-2130G-86-A5
21x36	530x914	M4-2136G-86-S4	M4-2136G-86-A4	M4-2136G-86-S5	M4-2136G-86-A5
21x42	530x1060	M4-2142G-86-S4	M4-2142G-86-A4	M4-2142G-86-S5	M4-2142G-86-A5
21x48	530x1219	M4-2148G-86-S4	M4-2148G-86-A4	M4-2148G-86-S5	M4-2148G-86-A5
21x54	530x1372	M4-2154G-86-S4	M4-2154G-86-A4	M4-2154G-86-S5	M4-2154G-86-A5
21x60	530x1524	M4-2160G-86-S4	M4-2160G-86-A4	M4-2160G-86-S5	M4-2160G-86-A5
24x24	610x610	M4-2424G-86-S4	M4-2424G-86-A4	M4-2424G-86-S5	M4-2424G-86-A5
24x30	610x760	M4-2430G-86-S4	M4-2430G-86-A4	M4-2430G-86-S5	M4-2430G-86-A5
24x36	610x914	M4-2436G-86-S4	M4-2436G-86-A4	M4-2436G-86-S5	M4-2436G-86-A5
24x42	610x1060	M4-2442G-86-S4	M4-2442G-86-A4	M4-2442G-86-S5	M4-2442G-86-A5
24x48	610x1219	M4-2448G-86-S4	M4-2448G-86-A4	M4-2448G-86-S5	M4-2448G-86-A5
24x54	610x1372	M4-2454G-86-S4	M4-2454G-86-A4	M4-2454G-86-S5	M4-2454G-86-A5
24x60	610x1524	M4-2460G-86-S4	M4-2460G-86-A4	M4-2460G-86-S5	M4-2460G-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

OPEN GRID Mat Shelves — Stationary Units and Add-On Units




Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits

(2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.

Standard S-hook (Included)
Cat. No. **MAX4-9995**

Intermediate S-hook Bracket
Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)

Four-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR5**
(includes 5 intermediate S-hook brackets)

MetroMax® 4 Shelving — Stationary Units and Add-on Units



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	M4-1824GF-63-S4	M4-1824GF-63-A4	M4-1824GF-63-S5	M4-1824GF-63-A5
18x30	457x760	M4-1830GF-63-S4	M4-1830GF-63-A4	M4-1830GF-63-S5	M4-1830GF-63-A5
18x36	457x914	M4-1836GF-63-S4	M4-1836GF-63-A4	M4-1836GF-63-S5	M4-1836GF-63-A5
18x42	457x1060	M4-1842GF-63-S4	M4-1842GF-63-A4	M4-1842GF-63-S5	M4-1842GF-63-A5
18x48	457x1219	M4-1848GF-63-S4	M4-1848GF-63-A4	M4-1848GF-63-S5	M4-1848GF-63-A5
18x54	457x1372	M4-1854GF-63-S4	M4-1854GF-63-A4	M4-1854GF-63-S5	M4-1854GF-63-A5
18x60	457x1524	M4-1860GF-63-S4	M4-1860GF-63-A4	M4-1860GF-63-S5	M4-1860GF-63-A5
21x24	530x610	M4-2124GF-63-S4	M4-2124GF-63-A4	M4-2124GF-63-S5	M4-2124GF-63-A5
21x30	530x760	M4-2130GF-63-S4	M4-2130GF-63-A4	M4-2130GF-63-S5	M4-2130GF-63-A5
21x36	530x914	M4-2136GF-63-S4	M4-2136GF-63-A4	M4-2136GF-63-S5	M4-2136GF-63-A5
21x42	530x1060	M4-2142GF-63-S4	M4-2142GF-63-A4	M4-2142GF-63-S5	M4-2142GF-63-A5
21x48	530x1219	M4-2148GF-63-S4	M4-2148GF-63-A4	M4-2148GF-63-S5	M4-2148GF-63-A5
21x54	530x1372	M4-2154GF-63-S4	M4-2154GF-63-A4	M4-2154GF-63-S5	M4-2154GF-63-A5
21x60	530x1524	M4-2160GF-63-S4	M4-2160GF-63-A4	M4-2160GF-63-S5	M4-2160GF-63-A5
24x24	610x610	M4-2424GF-63-S4	M4-2424GF-63-A4	M4-2424GF-63-S5	M4-2424GF-63-A5
24x30	610x760	M4-2430GF-63-S4	M4-2430GF-63-A4	M4-2430GF-63-S5	M4-2430GF-63-A5
24x36	610x914	M4-2436GF-63-S4	M4-2436GF-63-A4	M4-2436GF-63-S5	M4-2436GF-63-A5
24x42	610x1060	M4-2442GF-63-S4	M4-2442GF-63-A4	M4-2442GF-63-S5	M4-2442GF-63-A5
24x48	610x1219	M4-2448GF-63-S4	M4-2448GF-63-A4	M4-2448GF-63-S5	M4-2448GF-63-A5
24x54	610x1372	M4-2454GF-63-S4	M4-2454GF-63-A4	M4-2454GF-63-S5	M4-2454GF-63-A5
24x60	610x1524	M4-2460GF-63-S4	M4-2460GF-63-A4	M4-2460GF-63-S5	M4-2460GF-63-A5

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Stationary Units and Add-On Units




Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits

(2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.




Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.

Standard S-hook (Included)
Cat. No. **MAX4-9995**

Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)



Five-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR5**
(includes 5 intermediate S-hook brackets)



MetroMax® 4 Shelving — Stationary Units and Add-on Units



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		SOLID Mat Shelf		SOLID Mat Shelf	
Nominal Width/Length (in.)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	M4-1824GF-74-S4	M4-1824GF-74-A4	M4-1824GF-74-S5	M4-1824GF-74-A5
18x30	457x760	M4-1830GF-74-S4	M4-1830GF-74-A4	M4-1830GF-74-S5	M4-1830GF-74-A5
18x36	457x914	M4-1836GF-74-S4	M4-1836GF-74-A4	M4-1836GF-74-S5	M4-1836GF-74-A5
18x42	457x1060	M4-1842GF-74-S4	M4-1842GF-74-A4	M4-1842GF-74-S5	M4-1842GF-74-A5
18x48	457x1219	M4-1848GF-74-S4	M4-1848GF-74-A4	M4-1848GF-74-S5	M4-1848GF-74-A5
18x54	457x1372	M4-1854GF-74-S4	M4-1854GF-74-A4	M4-1854GF-74-S5	M4-1854GF-74-A5
18x60	457x1524	M4-1860GF-74-S4	M4-1860GF-74-A4	M4-1860GF-74-S5	M4-1860GF-74-A5
21x24	530x610	M4-2124GF-74-S4	M4-2124GF-74-A4	M4-2124GF-74-S5	M4-2124GF-74-A5
21x30	530x760	M4-2130GF-74-S4	M4-2130GF-74-A4	M4-2130GF-74-S5	M4-2130GF-74-A5
21x36	530x914	M4-2136GF-74-S4	M4-2136GF-74-A4	M4-2136GF-74-S5	M4-2136GF-74-A5
21x42	530x1060	M4-2142GF-74-S4	M4-2142GF-74-A4	M4-2142GF-74-S5	M4-2142GF-74-A5
21x48	530x1219	M4-2148GF-74-S4	M4-2148GF-74-A4	M4-2148GF-74-S5	M4-2148GF-74-A5
21x54	530x1372	M4-2154GF-74-S4	M4-2154GF-74-A4	M4-2154GF-74-S5	M4-2154GF-74-A5
21x60	530x1524	M4-2160GF-74-S4	M4-2160GF-74-A4	M4-2160GF-74-S5	M4-2160GF-74-A5
24x24	610x610	M4-2424GF-74-S4	M4-2424GF-74-A4	M4-2424GF-74-S5	M4-2424GF-74-A5
24x30	610x760	M4-2430GF-74-S4	M4-2430GF-74-A4	M4-2430GF-74-S5	M4-2430GF-74-A5
24x36	610x914	M4-2436GF-74-S4	M4-2436GF-74-A4	M4-2436GF-74-S5	M4-2436GF-74-A5
24x42	610x1060	M4-2442GF-74-S4	M4-2442GF-74-A4	M4-2442GF-74-S5	M4-2442GF-74-A5
24x48	610x1219	M4-2448GF-74-S4	M4-2448GF-74-A4	M4-2448GF-74-S5	M4-2448GF-74-A5
24x54	610x1372	M4-2454GF-74-S4	M4-2454GF-74-A4	M4-2454GF-74-S5	M4-2454GF-74-A5
24x60	610x1524	M4-2460GF-74-S4	M4-2460GF-74-A4	M4-2460GF-74-S5	M4-2460GF-74-A5

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.





SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



Standard S-hook (Included)
Cat. No. MAX4-9995

Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. MAX4-CNR4
(includes 4 intermediate S-hook brackets)
Five-shelf Corner Unit S-hook Kit:
Cat. No. MAX4-CNR5
(includes 5 intermediate S-hook brackets)

MetroMax® 4 Shelving — Stationary Units and Add-on Units



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		SOLID Mat Shelf		SOLID Mat Shelf	
Nominal Width/Length (in.)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	M4-1824GF-86-S4	M4-1824GF-86-A4	M4-1824GF-86-S5	M4-1824GF-86-A5
18x30	457x760	M4-1830GF-86-S4	M4-1830GF-86-A4	M4-1830GF-86-S5	M4-1830GF-86-A5
18x36	457x914	M4-1836GF-86-S4	M4-1836GF-86-A4	M4-1836GF-86-S5	M4-1836GF-86-A5
18x42	457x1060	M4-1842GF-86-S4	M4-1842GF-86-A4	M4-1842GF-86-S5	M4-1842GF-86-A5
18x48	457x1219	M4-1848GF-86-S4	M4-1848GF-86-A4	M4-1848GF-86-S5	M4-1848GF-86-A5
18x54	457x1372	M4-1854GF-86-S4	M4-1854GF-86-A4	M4-1854GF-86-S5	M4-1854GF-86-A5
18x60	457x1524	M4-1860GF-86-S4	M4-1860GF-86-A4	M4-1860GF-86-S5	M4-1860GF-86-A5
21x24	530x610	M4-2124GF-86-S4	M4-2124GF-86-A4	M4-2124GF-86-S5	M4-2124GF-86-A5
21x30	530x760	M4-2130GF-86-S4	M4-2130GF-86-A4	M4-2130GF-86-S5	M4-2130GF-86-A5
21x36	530x914	M4-2136GF-86-S4	M4-2136GF-86-A4	M4-2136GF-86-S5	M4-2136GF-86-A5
21x42	530x1060	M4-2142GF-86-S4	M4-2142GF-86-A4	M4-2142GF-86-S5	M4-2142GF-86-A5
21x48	530x1219	M4-2148GF-86-S4	M4-2148GF-86-A4	M4-2148GF-86-S5	M4-2148GF-86-A5
21x54	530x1372	M4-2154GF-86-S4	M4-2154GF-86-A4	M4-2154GF-86-S5	M4-2154GF-86-A5
21x60	530x1524	M4-2160GF-86-S4	M4-2160GF-86-A4	M4-2160GF-86-S5	M4-2160GF-86-A5
24x24	610x610	M4-2424GF-86-S4	M4-2424GF-86-A4	M4-2424GF-86-S5	M4-2424GF-86-A5
24x30	610x760	M4-2430GF-86-S4	M4-2430GF-86-A4	M4-2430GF-86-S5	M4-2430GF-86-A5
24x36	610x914	M4-2436GF-86-S4	M4-2436GF-86-A4	M4-2436GF-86-S5	M4-2436GF-86-A5
24x42	610x1060	M4-2442GF-86-S4	M4-2442GF-86-A4	M4-2442GF-86-S5	M4-2442GF-86-A5
24x48	610x1219	M4-2448GF-86-S4	M4-2448GF-86-A4	M4-2448GF-86-S5	M4-2448GF-86-A5
24x54	610x1372	M4-2454GF-86-S4	M4-2454GF-86-A4	M4-2454GF-86-S5	M4-2454GF-86-A5
24x60	610x1524	M4-2460GF-86-S4	M4-2460GF-86-A4	M4-2460GF-86-S5	M4-2460GF-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.





SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.





Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.

Standard S-hook (Included)
Cat. No. MAX4-9995

Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. MAX4-CNR4
(includes 4 intermediate S-hook brackets)
Five-shelf Corner Unit S-hook Kit:
Cat. No. MAX4-CNR5
(includes 5 intermediate S-hook brackets)



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
6-Shelf and 7-Shelf Stationary Units

UNIT HEIGHT			6-SHELF UNITS		7-SHELF UNITS	
63"						
			◀ SOLID Mat Shelf		SOLID Mat Shelf ▶	
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	UNIT HEIGHT		Nominal Width/Length (in.) (mm)	
18x24	457x610	M4-1824GF-63-S6	74"		18x24	457x610
18x30	457x760	M4-1830GF-63-S6			18x30	457x760
18x36	457x914	M4-1836GF-63-S6			18x36	457x914
18x42	457x1060	M4-1842GF-63-S6			18x42	457x1060
18x48	457x1219	M4-1848GF-63-S6			18x48	457x1219
18x54	457x1372	M4-1854GF-63-S6			18x54	457x1372
18x60	457x1524	M4-1860GF-63-S6			18x60	457x1524
24x24	610x610	M4-2424GF-63-S6			24x24	610x610
24x30	610x760	M4-2430GF-63-S6			24x30	610x760
24x36	610x914	M4-2436GF-63-S6			24x36	610x914
24x42	610x1060	M4-2442GF-63-S6			24x42	610x1060
24x48	610x1219	M4-2448GF-63-S6			24x48	610x1219
24x54	610x1372	M4-2454GF-63-S6			24x54	610x1372
24x60	610x1524	M4-2460GF-63-S6			24x60	610x1524
Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened. Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.			Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened. Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.			


SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
6-Shelf and 7-Shelf Stationary Units

Six-shelf units have five open grid mat shelves, and one solid bottom mat shelf and four posts.

Seven-shelf units have six open grid mat shelves, and one solid bottom mat shelf and four posts.



SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS	
63"			
		Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)		M4-1824F-63-S4	M4-1824F-63-A4
		M4-1830F-63-S4	M4-1830F-63-A4
18x24		M4-1836F-63-S4	M4-1836F-63-A4
18x30		M4-1842F-63-S4	M4-1842F-63-A4
18x36		M4-1848F-63-S4	M4-1848F-63-A4
18x42		M4-1854F-63-S4	M4-1854F-63-A4
18x48		M4-1860F-63-S4	M4-1860F-63-A4
18x54			
18x60			
21x24		M4-2124F-63-S4	M4-2124F-63-A4
21x30		M4-2130F-63-S4	M4-2130F-63-A4
21x36		M4-2136F-63-S4	M4-2136F-63-A4
21x42		M4-2142F-63-S4	M4-2142F-63-A4
21x48		M4-2148F-63-S4	M4-2148F-63-A4
21x54		M4-2154F-63-S4	M4-2154F-63-A4
21x60		M4-2160F-63-S4	M4-2160F-63-A4
24x24		M4-2424F-63-S4	M4-2424F-63-A4
24x30		M4-2430F-63-S4	M4-2430F-63-A4
24x36		M4-2436F-63-S4	M4-2436F-63-A4
24x42		M4-2442F-63-S4	M4-2442F-63-A4
24x48		M4-2448F-63-S4	M4-2448F-63-A4
24x54		M4-2454F-63-S4	M4-2454F-63-A4
24x60		M4-2460F-63-S4	M4-2460F-63-A4
Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened. Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.			

SOLID MAT Shelves — Stationary Units and Add-On Units


Stationary Units: consist of four solid mat shelves and four posts.

Add-on Units: consist of four solid mat shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.



- Regular S-hook location
- Intermediate bracket location
- Post
- Post not required



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.




**Standard S-hook
(Included)**
Cat. No.
MAX4-9995





Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR5**
(includes 5 intermediate S-hook brackets)



MetroMax® 4 Shelving — Stationary Units and Add-on Units

SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS	
74"			
		Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)			
18x24	457x610	M4-1824F-74-S4	M4-1824F-74-A4
18x30	457x760	M4-1830F-74-S4	M4-1830F-74-A4
18x36	457x914	M4-1836F-74-S4	M4-1836F-74-A4
18x42	457x1060	M4-1842F-74-S4	M4-1842F-74-A4
18x48	457x1219	M4-1848F-74-S4	M4-1848F-74-A4
18x54	457x1372	M4-1854F-74-S4	M4-1854F-74-A4
18x60	457x1524	M4-1860F-74-S4	M4-1860F-74-A4
21x24	530x610	M4-2124F-74-S4	M4-2124F-74-A4
21x30	530x760	M4-2130F-74-S4	M4-2130F-74-A4
21x36	530x914	M4-2136F-74-S4	M4-2136F-74-A4
21x42	530x1060	M4-2142F-74-S4	M4-2142F-74-A4
21x48	530x1219	M4-2148F-74-S4	M4-2148F-74-A4
21x54	530x1372	M4-2154F-74-S4	M4-2154F-74-A4
21x60	530x1524	M4-2160F-74-S4	M4-2160F-74-A4
24x24	610x610	M4-2424F-74-S4	M4-2424F-74-A4
24x30	610x760	M4-2430F-74-S4	M4-2430F-74-A4
24x36	610x914	M4-2436F-74-S4	M4-2436F-74-A4
24x42	610x1060	M4-2442F-74-S4	M4-2442F-74-A4
24x48	610x1219	M4-2448F-74-S4	M4-2448F-74-A4
24x54	610x1372	M4-2454F-74-S4	M4-2454F-74-A4
24x60	610x1524	M4-2460F-74-S4	M4-2460F-74-A4




Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width.
Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

SOLID MAT Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four solid mat shelves and four posts.





Add-on Units: consist of four solid mat shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.



MetroMax® 4 Shelving — Stationary Units and Add-on Units

SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)					
18x24	457x610	M4-1824F-86-S4	M4-1824F-86-A4	M4-1824F-86-S5	M4-1824F-86-A5
18x30	457x760	M4-1830F-86-S4	M4-1830F-86-A4	M4-1830F-86-S5	M4-1830F-86-A5
18x36	457x914	M4-1836F-86-S4	M4-1836F-86-A4	M4-1836F-86-S5	M4-1836F-86-A5
18x42	457x1060	M4-1842F-86-S4	M4-1842F-86-A4	M4-1842F-86-S5	M4-1842F-86-A5
18x48	457x1219	M4-1848F-86-S4	M4-1848F-86-A4	M4-1848F-86-S5	M4-1848F-86-A5
18x54	457x1372	M4-1854F-86-S4	M4-1854F-86-A4	M4-1854F-86-S5	M4-1854F-86-A5
18x60	457x1524	M4-1860F-86-S4	M4-1860F-86-A4	M4-1860F-86-S5	M4-1860F-86-A5
21x24	530x610	M4-2124F-86-S4	M4-2124F-86-A4	M4-2124F-86-S5	M4-2124F-86-A5
21x30	530x760	M4-2130F-86-S4	M4-2130F-86-A4	M4-2130F-86-S5	M4-2130F-86-A5
21x36	530x914	M4-2136F-86-S4	M4-2136F-86-A4	M4-2136F-86-S5	M4-2136F-86-A5
21x42	530x1060	M4-2142F-86-S4	M4-2142F-86-A4	M4-2142F-86-S5	M4-2142F-86-A5
21x48	530x1219	M4-2148F-86-S4	M4-2148F-86-A4	M4-2148F-86-S5	M4-2148F-86-A5
21x54	530x1372	M4-2154F-86-S4	M4-2154F-86-A4	M4-2154F-86-S5	M4-2154F-86-A5
21x60	530x1524	M4-2160F-86-S4	M4-2160F-86-A4	M4-2160F-86-S5	M4-2160F-86-A5
24x24	610x610	M4-2424F-86-S4	M4-2424F-86-A4	M4-2424F-86-S5	M4-2424F-86-A5
24x30	610x760	M4-2430F-86-S4	M4-2430F-86-A4	M4-2430F-86-S5	M4-2430F-86-A5
24x36	610x914	M4-2436F-86-S4	M4-2436F-86-A4	M4-2436F-86-S5	M4-2436F-86-A5
24x42	610x1060	M4-2442F-86-S4	M4-2442F-86-A4	M4-2442F-86-S5	M4-2442F-86-A5
24x48	610x1219	M4-2448F-86-S4	M4-2448F-86-A4	M4-2448F-86-S5	M4-2448F-86-A5
24x54	610x1372	M4-2454F-86-S4	M4-2454F-86-A4	M4-2454F-86-S5	M4-2454F-86-A5
24x60	610x1524	M4-2460F-86-S4	M4-2460F-86-A4	M4-2460F-86-S5	M4-2460F-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

SOLID MAT Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five solid mat shelves and four posts.

Add-on Units: consist of four or five solid mat shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.




Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit



Standard S-hook (Included)
Cat. No. MAX4-9995





Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. MAX4-CNR4
(includes 4 intermediate S-hook brackets)
Five-shelf Corner Unit S-hook Kit:
Cat. No. MAX4-CNR5
(includes 5 intermediate S-hook brackets)







OPEN GRID Mat Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
68"			
		Mobile Unit Cat. No.	Mobile Unit Cat. No.
	Nominal Width/Length (in.) (mm)		
	18x24 457x610	M4-1824G-68-M4	M4-1824G-68-M5
	18x30 457x760	M4-1830G-68-M4	M4-1830G-68-M5
	18x36 457x914	M4-1836G-68-M4	M4-1836G-68-M5
	18x42 457x1060	M4-1842G-68-M4	M4-1842G-68-M5
	18x48 457x1219	M4-1848G-68-M4	M4-1848G-68-M5
	18x54 457x1372	M4-1854G-68-M4	M4-1854G-68-M5
	18x60 457x1524	M4-1860G-68-M4	M4-1860G-68-M5
	21x24 530x610	M4-2124G-68-M4	M4-2124G-68-M5
	21x30 530x760	M4-2130G-68-M4	M4-2130G-68-M5
	21x36 530x914	M4-2136G-68-M4	M4-2136G-68-M5
	21x42 530x1060	M4-2142G-68-M4	M4-2142G-68-M5
	21x48 530x1219	M4-2148G-68-M4	M4-2148G-68-M5
	21x54 530x1372	M4-2154G-68-M4	M4-2154G-68-M5
	21x60 530x1524	M4-2160G-68-M4	M4-2160G-68-M5
	24x24 610x610	M4-2424G-68-M4	M4-2424G-68-M5
	24x30 610x760	M4-2430G-68-M4	M4-2430G-68-M5
	24x36 610x914	M4-2436G-68-M4	M4-2436G-68-M5
	24x42 610x1060	M4-2442G-68-M4	M4-2442G-68-M5
	24x48 610x1219	M4-2448G-68-M4	M4-2448G-68-M5
	24x54 610x1372	M4-2454G-68-M4	M4-2454G-68-M5
	24x60 610x1524	M4-2460G-68-M4	M4-2460G-68-M5



Actual Height: 67.696" (1720 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: **Width:** Add 2-5/16" (2.3125") [59 mm] to nominal width. **Length:** Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 5/8" (0.625") [16 mm] to nominal width. **Length:** Add 1/16" (0.0625") [2 mm] to nominal length.

OPEN GRID Mat Shelves — Mobile Shelving Units

Mobile Units: consist of four or five open grid mat shelves, four polymer posts and four Total-Guard polymer casters (two with brakes).



OPEN GRID Mat Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
80"			
		Mobile Unit Cat. No.	Mobile Unit Cat. No.
	Nominal Width/Length (in.) (mm)		
	18x24 457x610	M4-1824G-80-M4	M4-1824G-80-M5
	18x30 457x760	M4-1830G-80-M4	M4-1830G-80-M5
	18x36 457x914	M4-1836G-80-M4	M4-1836G-80-M5
	18x42 457x1060	M4-1842G-80-M4	M4-1842G-80-M5
	18x48 457x1219	M4-1848G-80-M4	M4-1848G-80-M5
	18x54 457x1372	M4-1854G-80-M4	M4-1854G-80-M5
	18x60 457x1524	M4-1860G-80-M4	M4-1860G-80-M5
	21x24 530x610	M4-2124G-80-M4	M4-2124G-80-M5
	21x30 530x760	M4-2130G-80-M4	M4-2130G-80-M5
	21x36 530x914	M4-2136G-80-M4	M4-2136G-80-M5
	21x42 530x1060	M4-2142G-80-M4	M4-2142G-80-M5
	21x48 530x1219	M4-2148G-80-M4	M4-2148G-80-M5
	21x54 530x1372	M4-2154G-80-M4	M4-2154G-80-M5
	21x60 530x1524	M4-2160G-80-M4	M4-2160G-80-M5
	24x24 610x610	M4-2424G-80-M4	M4-2424G-80-M5
	24x30 610x760	M4-2430G-80-M4	M4-2430G-80-M5
	24x36 610x914	M4-2436G-80-M4	M4-2436G-80-M5
	24x42 610x1060	M4-2442G-80-M4	M4-2442G-80-M5
	24x48 610x1219	M4-2448G-80-M4	M4-2448G-80-M5
	24x54 610x1372	M4-2454G-80-M4	M4-2454G-80-M5
	24x60 610x1524	M4-2460G-80-M4	M4-2460G-80-M5

Actual Height: 79.696" (2024 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: **Width:** Add 2-5/16" (2.3125") [59 mm] to nominal width. **Length:** Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 5/8" (0.625") [16 mm] to nominal width. **Length:** Add 1/16" (0.0625") [2 mm] to nominal length.

OPEN GRID Mat Shelves — Mobile Shelving Units

Mobile Units: consist of four or five open grid mat shelves, four polymer posts and four Total-Guard polymer casters (two with brakes).



MetroMax® 4 Mobile Shelving




SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
68"			
		SOLID Mat Shelf	SOLID Mat Shelf
Nominal Width/Length (in.) (mm)		Mobile Unit Cat. No.	Mobile Unit Cat. No.
18x24	457x610	M4-1824GF-68-M4	M4-1824GF-68-M5
18x30	457x760	M4-1830GF-68-M4	M4-1830GF-68-M5
18x36	457x914	M4-1836GF-68-M4	M4-1836GF-68-M5
18x42	457x1060	M4-1842GF-68-M4	M4-1842GF-68-M5
18x48	457x1219	M4-1848GF-68-M4	M4-1848GF-68-M5
18x54	457x1372	M4-1854GF-68-M4	M4-1854GF-68-M5
18x60	457x1524	M4-1860GF-68-M4	M4-1860GF-68-M5
21x24	530x610	M4-2124GF-68-M4	M4-2124GF-68-M5
21x30	530x760	M4-2130GF-68-M4	M4-2130GF-68-M5
21x36	530x914	M4-2136GF-68-M4	M4-2136GF-68-M5
21x42	530x1060	M4-2142GF-68-M4	M4-2142GF-68-M5
21x48	530x1219	M4-2148GF-68-M4	M4-2148GF-68-M5
21x54	530x1372	M4-2154GF-68-M4	M4-2154GF-68-M5
21x60	530x1524	M4-2160GF-68-M4	M4-2160GF-68-M5
24x24	610x610	M4-2424GF-68-M4	M4-2424GF-68-M5
24x30	610x760	M4-2430GF-68-M4	M4-2430GF-68-M5
24x36	610x914	M4-2436GF-68-M4	M4-2436GF-68-M5
24x42	610x1060	M4-2442GF-68-M4	M4-2442GF-68-M5
24x48	610x1219	M4-2448GF-68-M4	M4-2448GF-68-M5
24x54	610x1372	M4-2454GF-68-M4	M4-2454GF-68-M5
24x60	610x1524	M4-2460GF-68-M4	M4-2460GF-68-M5


Actual Height: 67.696" (1720 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: Width: Add 2-5/16" (2.3125") [59 mm] to nominal width. Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 5/8" (0.625") [16 mm] to nominal width. Length: Add 1/16" (0.0625") [2 mm] to nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Mobile Shelving Units

Mobile Units: consist of three or four open grid mat shelves, one solid mat bottom shelf, four polymer posts and four Total-Guard polymer casters (two with brakes).



MetroMax® 4 Mobile Shelving




SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
80"			
		SOLID Mat Shelf	SOLID Mat Shelf
Nominal Width/Length (in.) (mm)		Mobile Unit Cat. No.	Mobile Unit Cat. No.
18x24	457x610	M4-1824GF-80-M4	M4-1824GF-80-M5
18x30	457x760	M4-1830GF-80-M4	M4-1830GF-80-M5
18x36	457x914	M4-1836GF-80-M4	M4-1836GF-80-M5
18x42	457x1060	M4-1842GF-80-M4	M4-1842GF-80-M5
18x48	457x1219	M4-1848GF-80-M4	M4-1848GF-80-M5
18x54	457x1372	M4-1854GF-80-M4	M4-1854GF-80-M5
18x60	457x1524	M4-1860GF-80-M4	M4-1860GF-80-M5
21x24	530x610	M4-2124GF-80-M4	M4-2124GF-80-M5
21x30	530x760	M4-2130GF-80-M4	M4-2130GF-80-M5
21x36	530x914	M4-2136GF-80-M4	M4-2136GF-80-M5
21x42	530x1060	M4-2142GF-80-M4	M4-2142GF-80-M5
21x48	530x1219	M4-2148GF-80-M4	M4-2148GF-80-M5
21x54	530x1372	M4-2154GF-80-M4	M4-2154GF-80-M5
21x60	530x1524	M4-2160GF-80-M4	M4-2160GF-80-M5
24x24	610x610	M4-2424GF-80-M4	M4-2424GF-80-M5
24x30	610x760	M4-2430GF-80-M4	M4-2430GF-80-M5
24x36	610x914	M4-2436GF-80-M4	M4-2436GF-80-M5
24x42	610x1060	M4-2442GF-80-M4	M4-2442GF-80-M5
24x48	610x1219	M4-2448GF-80-M4	M4-2448GF-80-M5
24x54	610x1372	M4-2454GF-80-M4	M4-2454GF-80-M5
24x60	610x1524	M4-2460GF-80-M4	M4-2460GF-80-M5

Actual Height: 79.696" (2024 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: Width: Add 2-5/16" (2.3125") [59 mm] to nominal width. Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 5/8" (0.625") [16 mm] to nominal width. Length: Add 1/16" (0.0625") [2 mm] to nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Mobile Shelving Units

Mobile Units: consist of three or four open grid mat shelves, one solid mat bottom shelf, four polymer posts and four Total-Guard polymer casters (two with brakes).



MetroMax® 4 Mobile Shelving



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
6-Shelf and 7-Shelf Mobile Units

UNIT HEIGHT		6-SHELF UNITS
68"		
		Mobile Unit Cat. No.
		M4-1824GF-68-M6
		M4-1830GF-68-M6
		M4-1836GF-68-M6
		M4-1842GF-68-M6
		M4-1848GF-68-M6
		M4-1854GF-68-M6
		M4-1860GF-68-M6
Nominal Width/Length (in.) (mm)		
18x24	457x610	
18x30	457x760	
18x36	457x914	
18x42	457x1060	
18x48	457x1219	
18x54	457x1372	
18x60	457x1524	
24x24	610x610	
24x30	610x760	
24x36	610x914	
24x42	610x1060	
24x48	610x1219	
24x54	610x1372	
24x60	610x1524	

Actual Height: 67.696" (1720 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)

Actual Width and Length including bumpers:
Width: Add 2-5/16" (2.3125") [59 mm] to nominal width.
Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.

Actual Width and Length including casters without bumpers.
Width: Add 5/8" (0.625") [16 mm] to nominal width.
Length: Add 1/16" (0.0625") [2 mm] to nominal length.

UNIT HEIGHT		6-SHELF UNITS	7-SHELF UNITS
80"			
		Mobile Unit Cat. No.	Mobile Unit Cat. No.
		M4-1824GF-80-M6	M4-1824GF-80-M7
		M4-1830GF-80-M6	M4-1830GF-80-M7
		M4-1836GF-80-M6	M4-1836GF-80-M7
		M4-1842GF-80-M6	M4-1842GF-80-M7
		M4-1848GF-80-M6	M4-1848GF-80-M7
		M4-1854GF-80-M6	M4-1854GF-80-M7
		M4-1860GF-80-M6	M4-1860GF-80-M7
Nominal Width/Length (in.) (mm)			
18x24	457x610		
18x30	457x760		
18x36	457x914		
18x42	457x1060		
18x48	457x1219		
18x54	457x1372		
18x60	457x1524		
24x24	610x610		
24x30	610x760		
24x36	610x914		
24x42	610x1060		
24x48	610x1219		
24x54	610x1372		
24x60	610x1524		

Actual Height: 79.696" (2024 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)


Actual Width and Length including bumpers:
Width: Add 2-5/16" (2.3125") [59 mm] to nominal width.
Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.

Actual Width and Length including casters without bumpers.
Width: Add 5/8" (0.625") [16 mm] to nominal width.
Length: Add 1/16" (0.0625") [2 mm] to nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
6-Shelf and 7-Shelf Mobile Units


Six-shelf units have five open grid mat shelves, one solid bottom mat shelf, four posts and four Total-Guard polymer casters (two with brakes).

Seven-shelf units have six open grid mat shelves, one solid bottom mat shelf four posts, and four Total-Guard polymer casters (two with brakes).



6-Shelf Mobile Unit

MetroMax® 4 Mobile Shelving



SOLID Mat Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS
68"		
		Mobile Unit Cat. No.
		M4-1824F-68-M4
		M4-1830F-68-M4
		M4-1836F-68-M4
		M4-1842F-68-M4
		M4-1848F-68-M4
		M4-1854F-68-M4
		M4-1860F-68-M4
Nominal Width/Length (in.) (mm)		
18x24	457x610	
18x30	457x760	
18x36	457x914	
18x42	457x1060	
18x48	457x1219	
18x54	457x1372	
18x60	457x1524	
21x24	530x610	
21x30	530x760	
21x36	530x914	
21x42	530x1060	
21x48	530x1219	
21x54	530x1372	
21x60	530x1524	
24x24	610x610	
24x30	610x760	
24x36	610x914	
24x42	610x1060	
24x48	610x1219	
24x54	610x1372	
24x60	610x1524	

Actual Height: 67.696" (1720 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)

Actual Width and Length including bumpers:
Width: Add 2-5/16" (2.3125") [59 mm] to nominal width.
Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.

Actual Width and Length including casters without bumpers.
Width: Add 5/8" (0.625") [16 mm] to nominal width.
Length: Add 1/16" (0.0625") [2 mm] to nominal length.

SOLID Mat Shelves — Mobile Shelving Units

Mobile Units: consist of four solid mat shelves, four polymer posts and four Total-Guard polymer casters (two with brakes).



UNIT HEIGHT		4-SHELF UNITS
80"		
		Mobile Unit Cat. No.
		M4-1824F-80-M4
		M4-1830F-80-M4
		M4-1836F-80-M4
		M4-1842F-80-M4
		M4-1848F-80-M4
		M4-1854F-80-M4
		M4-1860F-80-M4
Nominal Width/Length (in.) (mm)		
18x24	457x610	
18x30	457x760	
18x36	457x914	
18x42	457x1060	
18x48	457x1219	
18x54	457x1372	
18x60	457x1524	
21x24	530x610	
21x30	530x760	
21x36	530x914	
21x42	530x1060	
21x48	530x1219	
21x54	530x1372	
21x60	530x1524	
24x24	610x610	
24x30	610x760	
24x36	610x914	
24x42	610x1060	
24x48	610x1219	
24x54	610x1372	
24x60	610x1524	

Actual Height: 79.696" (2024 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)

Actual Width and Length including bumpers:
Width: Add 2-5/16" (2.3125") [59 mm] to nominal width.
Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.

Actual Width and Length including casters without bumpers.
Width: Add 5/8" (0.625") [16 mm] to nominal width.
Length: Add 1/16" (0.0625") [2 mm] to nominal length.


MetroMax[®] 4 Specifications

Product Specifications

	MetroMax 4
Warranty	Lifetime against rust & corrosion Never Collapse Guarantee Each Metro stationary shelving unit, add-on shelving unit, mobile shelving unit and Track Shelving System are backed by a 100% money-back guarantee against unit collapse.
NSF	Shelving listed for ALL Environments
Antimicrobial Protection	Microban [®] Antimicrobial Product Protection is built into the shelf mats
Shelf Adjustment	Shelves adjust on 1" (25 mm) increments along the post
Post Capture	360° contact with post / post wedge
Cleaning	All components, including mats, are dishwasher and chemical cleaner safe
Shelf Mats	6" (152 mm) wide shelf mats easily remove for cleaning
Assembly	Shelves are ready to use right out of the box. One-piece wedges securely attach to the posts. Shelf seats into position over the posts and wedges. A unit can be assembled without tools in minutes.

Material Specifications

	MetroMax 4
Shelf Mats	Polypropylene. Mats contain Microban [®] antimicrobial product protection.
Longitudinal Beams	Pultrusions — continuous glass fibers and thermoset resin composite.
End Beams	Reinforced nylon.
Posts	Pultrusions — continuous glass fibers and thermoset resin composite.
Post Cap	High-density polyethylene.
Casters	Total-guard casters (5PSTEX, 5PSTEBX): Nylon rig, type 304 stainless steel stem and hardware, TPE wheel tread, Bumper is non-phthalate PVC.
Adjustable Foot / Socket / Shelf Wedge	Reinforced nylon
Standard S-hook / Intermediate S-hook Bracket	Type 304 Stainless Steel
Continuous Temperature Exposure Range (with shelves under load): -20/120° F (-29/49° C) For cleaning the maximum intermittent temperature exposure is 212° F (100° C).	



Load Ratings

Stationary Unit	Mobile Unit	Four Post Unit & End-to-End Add-on Unit	Corner Configuration “L” with an Add-on Unit
800 lbs. (363 kg) per shelf for lengths of 24” to 48” (610 to 1219 mm)	800 lbs. (363 kg) per shelf for lengths of 24” to 48” (610 to 1219 mm)	800 lbs. (363 kg) per shelf for lengths of 24” to 48” (610 to 1219 mm)	500 lbs. (227 kg) per shelf for lengths of 24” to 48” (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54” (1372 mm) or longer	600 lbs. (272 kg) per shelf for lengths of 54” (1372 mm) or longer	600 lbs. (272 kg) per shelf for lengths of 54” (1372 mm) or longer	400 lbs. (181 kg) per shelf for lengths of 54” (1372 mm) or longer
2000 lbs. (907 kg) per Unit	750 lbs. (340 kg) per unit with 5PSTEX/5PSTEBX casters	2000 lbs. (907 kg) per Unit	2000 lbs. (907 kg) per Unit

Shelving Height Guidelines

Shelf Depth	18” (457 mm)	21” (533 mm)	24” (610 mm)
Maximum Allowable Post Height – Stationary	86” (2184 mm)	86” (2184 mm)	86” (2184 mm)
Maximum Allowable Post Height – Mobile	74” (1880 mm)	74” (1880 mm)	86” (2184 mm)

MetroMax® Q

Easy-adjust polymer shelving that's reinforced with steel.



Sturdiness
Full 360° capture of the post in each corner.



Strength
Holds up to 800lbs. per shelf
2000lbs. per unit.



Durability
25 year corrosion warranty and built to last. Never falls down.





900
LBS. PER MOBILE UNIT

25
YEAR
CORROSION
WARRANTY

Features and Benefits:

- 

Mobility
Superior design accomodates carts & overhead track shelving.
- 

Cleanability
Removable shelf mats can be cleaned quickly & easily and have built-in Microban® antimicrobial protection.
- 

Adjustability
Quickest to adjust shelving system ever.
- 

NSF
Full NSF listing that includes shelves posts & accessories.
- **Quick Adjust:** Smooth, flat surfaces protect packaged shelf contents from unwanted rips, tears, or damage.
 - **Forever Strong:** Proven corner connection and four-sided shelf frame with center truss(es) assures stability and strength in stationary, mobile, and high-density track shelving configurations. The only shelving guaranteed never to collapse.
 - **Easy Access:** Corner configurations allow easy access to the shelf contents by eliminating a front post.
 - **Life-long Rust Resistance:** Shelves offer a 25-year warranty against rust and corrosion. Polymer posts are 100% rust-proof.
 - **Easy-to-Clean:** Shelf mats easily remove from the shelf for cleaning by hand or in a commercial washer / dish machine.
 - **Microban® Antimicrobial Product Protection:** Is built into the shelf mats to help fight the growth of stain and odor-causing bacteria, fungi, mold, and mildew to keep product cleaner between cleanings.
 - **Easy Access:** Corner configurations allow easy access to the shelf contents by eliminating a front post.
 - **Efficient Use of Space:** Shelves adjust on 1" (25 mm) increments along the post to maximize the use of available vertical space.
 - **Fast, Easy Assembly:** Shelves are ready to use right out of the box. One-piece wedges securely attach to the posts. Numbers on the post to locate the desired shelf position. Shelf seats into position over the posts and wedges. Secure bu engaging easy-adjust lever. A unit can be assembled easily without tools in minutes.



Removable
wash-machine friendly mats.



Epoxy Coated Steel
Mobile or Stationary Posts
for Heaviest Loads



All-Polymer Mobile or
Stationary Posts

Wet Environment	Cleanability	Abrasion Resistance	AccessORIZATION	Shelf Capacity	Relative Price	Corrosion Warranty
★ ★ ★	★ ★ ★	★ ★ ★	★ ★	800lbs. (363kg)	\$\$\$	25 Years

Most used for:

• Standard Loads
• Coolers
• Freezers

• Mobile Applications
• Dish Areas

• Wet Areas
• Dry Storage
• Track Shelving

• Security Shelving



Part Number Explanation

MQ-2448-G-74-S4

MQ: MetroMax Q

2448: Shelf Length
Shelf Width

G: Shelf types:
G = open grid mat shelves
GF = grid upper & solid bottom shelves
F = solid mat shelves

74: Height

S4: # of Shelves
S = Stationary
A = Add-on
M = Mobile





OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MQ-1824G-63-S4	MQ-1824G-63-A4	MQ-1824G-63-S5	MQ-1824G-63-A5
18x30	457x760	MQ-1830G-63-S4	MQ-1830G-63-A4	MQ-1830G-63-S5	MQ-1830G-63-A5
18x36	457x914	MQ-1836G-63-S4	MQ-1836G-63-A4	MQ-1836G-63-S5	MQ-1836G-63-A5
18x42	457x1060	MQ-1842G-63-S4	MQ-1842G-63-A4	MQ-1842G-63-S5	MQ-1842G-63-A5
18x48	457x1219	MQ-1848G-63-S4	MQ-1848G-63-A4	MQ-1848G-63-S5	MQ-1848G-63-A5
18x54	457x1372	MQ-1854G-63-S4	MQ-1854G-63-A4	MQ-1854G-63-S5	MQ-1854G-63-A5
18x60	457x1524	MQ-1860G-63-S4	MQ-1860G-63-A4	MQ-1860G-63-S5	MQ-1860G-63-A5
18x72	457x1829	MQ-1872G-63-S4	MQ-1872G-63-A4	MQ-1872G-63-S5	MQ-1872G-63-A5
21x24	530x610	MQ-2124G-63-S4	MQ-2124G-63-A4	MQ-2124G-63-S5	MQ-2124G-63-A5
21x30	530x760	MQ-2130G-63-S4	MQ-2130G-63-A4	MQ-2130G-63-S5	MQ-2130G-63-A5
21x36	530x914	MQ-2136G-63-S4	MQ-2136G-63-A4	MQ-2136G-63-S5	MQ-2136G-63-A5
21x42	530x1060	MQ-2142G-63-S4	MQ-2142G-63-A4	MQ-2142G-63-S5	MQ-2142G-63-A5
21x48	530x1219	MQ-2148G-63-S4	MQ-2148G-63-A4	MQ-2148G-63-S5	MQ-2148G-63-A5
21x54	530x1372	MQ-2154G-63-S4	MQ-2154G-63-A4	MQ-2154G-63-S5	MQ-2154G-63-A5
21x60	530x1524	MQ-2160G-63-S4	MQ-2160G-63-A4	MQ-2160G-63-S5	MQ-2160G-63-A5
21x72	530x1829	MQ-2172G-63-S4	MQ-2172G-63-A4	MQ-2172G-63-S5	MQ-2172G-63-A5
24x24	610x610	MQ-2424G-63-S4	MQ-2424G-63-A4	MQ-2424G-63-S5	MQ-2424G-63-A5
24x30	610x760	MQ-2430G-63-S4	MQ-2430G-63-A4	MQ-2430G-63-S5	MQ-2430G-63-A5
24x36	610x914	MQ-2436G-63-S4	MQ-2436G-63-A4	MQ-2436G-63-S5	MQ-2436G-63-A5
24x42	610x1060	MQ-2442G-63-S4	MQ-2442G-63-A4	MQ-2442G-63-S5	MQ-2442G-63-A5
24x48	610x1219	MQ-2448G-63-S4	MQ-2448G-63-A4	MQ-2448G-63-S5	MQ-2448G-63-A5
24x54	610x1372	MQ-2454G-63-S4	MQ-2454G-63-A4	MQ-2454G-63-S5	MQ-2454G-63-A5
24x60	610x1524	MQ-2460G-63-S4	MQ-2460G-63-A4	MQ-2460G-63-S5	MQ-2460G-63-A5
24x72	610x1829	MQ-2472G-63-S4	MQ-2472G-63-A4	MQ-2472G-63-S5	MQ-2472G-63-A5

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.

OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.
Four-shelf units include (8) standard S-hooks.
Five-shelf units include (10) standard S-hooks.

Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).





S-hook
Cat. No. **M9995**
(included with add-on unit)



Intermediate S-hook Kit
Cat. No. **Q9995Z**

- Regular S-hook location
- Intermediate bracket location
- Post
- Post not required



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MQ-1824G-74-S4	MQ-1824G-74-A4	MQ-1824G-74-S5	MQ-1824G-74-A5
18x30	457x760	MQ-1830G-74-S4	MQ-1830G-74-A4	MQ-1830G-74-S5	MQ-1830G-74-A5
18x36	457x914	MQ-1836G-74-S4	MQ-1836G-74-A4	MQ-1836G-74-S5	MQ-1836G-74-A5
18x42	457x1060	MQ-1842G-74-S4	MQ-1842G-74-A4	MQ-1842G-74-S5	MQ-1842G-74-A5
18x48	457x1219	MQ-1848G-74-S4	MQ-1848G-74-A4	MQ-1848G-74-S5	MQ-1848G-74-A5
18x54	457x1372	MQ-1854G-74-S4	MQ-1854G-74-A4	MQ-1854G-74-S5	MQ-1854G-74-A5
18x60	457x1524	MQ-1860G-74-S4	MQ-1860G-74-A4	MQ-1860G-74-S5	MQ-1860G-74-A5
18x72	457x1829	MQ-1872G-74-S4	MQ-1872G-74-A4	MQ-1872G-74-S5	MQ-1872G-74-A5
21x24	530x610	MQ-2124G-74-S4	MQ-2124G-74-A4	MQ-2124G-74-S5	MQ-2124G-74-A5
21x30	530x760	MQ-2130G-74-S4	MQ-2130G-74-A4	MQ-2130G-74-S5	MQ-2130G-74-A5
21x36	530x914	MQ-2136G-74-S4	MQ-2136G-74-A4	MQ-2136G-74-S5	MQ-2136G-74-A5
21x42	530x1060	MQ-2142G-74-S4	MQ-2142G-74-A4	MQ-2142G-74-S5	MQ-2142G-74-A5
21x48	530x1219	MQ-2148G-74-S4	MQ-2148G-74-A4	MQ-2148G-74-S5	MQ-2148G-74-A5
21x54	530x1372	MQ-2154G-74-S4	MQ-2154G-74-A4	MQ-2154G-74-S5	MQ-2154G-74-A5
21x60	530x1524	MQ-2160G-74-S4	MQ-2160G-74-A4	MQ-2160G-74-S5	MQ-2160G-74-A5
21x72	530x1829	MQ-2172G-74-S4	MQ-2172G-74-A4	MQ-2172G-74-S5	MQ-2172G-74-A5
24x24	610x610	MQ-2424G-74-S4	MQ-2424G-74-A4	MQ-2424G-74-S5	MQ-2424G-74-A5
24x30	610x760	MQ-2430G-74-S4	MQ-2430G-74-A4	MQ-2430G-74-S5	MQ-2430G-74-A5
24x36	610x914	MQ-2436G-74-S4	MQ-2436G-74-A4	MQ-2436G-74-S5	MQ-2436G-74-A5
24x42	610x1060	MQ-2442G-74-S4	MQ-2442G-74-A4	MQ-2442G-74-S5	MQ-2442G-74-A5
24x48	610x1219	MQ-2448G-74-S4	MQ-2448G-74-A4	MQ-2448G-74-S5	MQ-2448G-74-A5
24x54	610x1372	MQ-2454G-74-S4	MQ-2454G-74-A4	MQ-2454G-74-S5	MQ-2454G-74-A5
24x60	610x1524	MQ-2460G-74-S4	MQ-2460G-74-A4	MQ-2460G-74-S5	MQ-2460G-74-A5
24x72	610x1829	MQ-2472G-74-S4	MQ-2472G-74-A4	MQ-2472G-74-S5	MQ-2472G-74-A5

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.

OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.
Four-shelf units include (8) standard S-hooks.
Five-shelf units include (10) standard S-hooks.

Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).





S-hook
Cat. No. **M9995**
(included with add-on unit)






Intermediate S-hook Kit
Cat. No. **Q9995Z**

- Regular S-hook location
- Intermediate bracket location
- Post
- Post not required





OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS			
86"							
		Stationary Unit Cat. No.		Add-on Unit Cat. No.			
		18x24	457x610	MQ-1824G-86-S4	MQ-1824G-86-A4	MQ-1824G-86-S5	MQ-1824G-86-A5
		18x30	457x760	MQ-1830G-86-S4	MQ-1830G-86-A4	MQ-1830G-86-S5	MQ-1830G-86-A5
		18x36	457x914	MQ-1836G-86-S4	MQ-1836G-86-A4	MQ-1836G-86-S5	MQ-1836G-86-A5
		18x42	457x1060	MQ-1842G-86-S4	MQ-1842G-86-A4	MQ-1842G-86-S5	MQ-1842G-86-A5
		18x48	457x1219	MQ-1848G-86-S4	MQ-1848G-86-A4	MQ-1848G-86-S5	MQ-1848G-86-A5
		18x54	457x1372	MQ-1854G-86-S4	MQ-1854G-86-A4	MQ-1854G-86-S5	MQ-1854G-86-A5
		18x60	457x1524	MQ-1860G-86-S4	MQ-1860G-86-A4	MQ-1860G-86-S5	MQ-1860G-86-A5
		18x72	457x1829	MQ-1872G-86-S4	MQ-1872G-86-A4	MQ-1872G-86-S5	MQ-1872G-86-A5
21x24	530x610	MQ-2124G-86-S4	MQ-2124G-86-A4	MQ-2124G-86-S5	MQ-2124G-86-A5		
21x30	530x760	MQ-2130G-86-S4	MQ-2130G-86-A4	MQ-2130G-86-S5	MQ-2130G-86-A5		
21x36	530x914	MQ-2136G-86-S4	MQ-2136G-86-A4	MQ-2136G-86-S5	MQ-2136G-86-A5		
21x42	530x1060	MQ-2142G-86-S4	MQ-2142G-86-A4	MQ-2142G-86-S5	MQ-2142G-86-A5		
21x48	530x1219	MQ-2148G-86-S4	MQ-2148G-86-A4	MQ-2148G-86-S5	MQ-2148G-86-A5		
21x54	530x1372	MQ-2154G-86-S4	MQ-2154G-86-A4	MQ-2154G-86-S5	MQ-2154G-86-A5		
21x60	530x1524	MQ-2160G-86-S4	MQ-2160G-86-A4	MQ-2160G-86-S5	MQ-2160G-86-A5		
21x72	530x1829	MQ-2172G-86-S4	MQ-2172G-86-A4	MQ-2172G-86-S5	MQ-2172G-86-A5		
24x24	610x610	MQ-2424G-86-S4	MQ-2424G-86-A4	MQ-2424G-86-S5	MQ-2424G-86-A5		
24x30	610x760	MQ-2430G-86-S4	MQ-2430G-86-A4	MQ-2430G-86-S5	MQ-2430G-86-A5		
24x36	610x914	MQ-2436G-86-S4	MQ-2436G-86-A4	MQ-2436G-86-S5	MQ-2436G-86-A5		
24x42	610x1060	MQ-2442G-86-S4	MQ-2442G-86-A4	MQ-2442G-86-S5	MQ-2442G-86-A5		
24x48	610x1219	MQ-2448G-86-S4	MQ-2448G-86-A4	MQ-2448G-86-S5	MQ-2448G-86-A5		
24x54	610x1372	MQ-2454G-86-S4	MQ-2454G-86-A4	MQ-2454G-86-S5	MQ-2454G-86-A5		
24x60	610x1524	MQ-2460G-86-S4	MQ-2460G-86-A4	MQ-2460G-86-S5	MQ-2460G-86-A5		
24x72	610x1829	MQ-2472G-86-S4	MQ-2472G-86-A4	MQ-2472G-86-S5	MQ-2472G-86-A5		

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.

OPEN GRID Mat Shelves — Stationary Units and Add-On Units




Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.
Four-shelf units include (8) standard S-hooks.
Five-shelf units include (10) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).

S-hook
Cat. No. **M9995**
(included with add-on unit)

Intermediate S-hook Kit
Cat. No. **Q9995Z**



SOLID BOTTOM Mat Shelf — Stationary Unit and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
		MQ-1824GF-63-S4	MQ-1824GF-63-A4	MQ-1824GF-63-S5	MQ-1824GF-63-A5
		MQ-1830GF-63-S4	MQ-1830GF-63-A4	MQ-1830GF-63-S5	MQ-1830GF-63-A5
		MQ-1836GF-63-S4	MQ-1836GF-63-A4	MQ-1836GF-63-S5	MQ-1836GF-63-A5
		MQ-1842GF-63-S4	MQ-1842GF-63-A4	MQ-1842GF-63-S5	MQ-1842GF-63-A5
		MQ-1848GF-63-S4	MQ-1848GF-63-A4	MQ-1848GF-63-S5	MQ-1848GF-63-A5
		MQ-1854GF-63-S4	MQ-1854GF-63-A4	MQ-1854GF-63-S5	MQ-1854GF-63-A5
		MQ-1860GF-63-S4	MQ-1860GF-63-A4	MQ-1860GF-63-S5	MQ-1860GF-63-A5
		MQ-1872GF-63-S4	MQ-1872GF-63-A4	MQ-1872GF-63-S5	MQ-1872GF-63-A5
MQ-2424GF-63-S4	MQ-2424GF-63-A4	MQ-2424GF-63-S5	MQ-2424GF-63-A5		
MQ-2430GF-63-S4	MQ-2430GF-63-A4	MQ-2430GF-63-S5	MQ-2430GF-63-A5		
MQ-2436GF-63-S4	MQ-2436GF-63-A4	MQ-2436GF-63-S5	MQ-2436GF-63-A5		
MQ-2442GF-63-S4	MQ-2442GF-63-A4	MQ-2442GF-63-S5	MQ-2442GF-63-A5		
MQ-2448GF-63-S4	MQ-2448GF-63-A4	MQ-2448GF-63-S5	MQ-2448GF-63-A5		
MQ-2454GF-63-S4	MQ-2454GF-63-A4	MQ-2454GF-63-S5	MQ-2454GF-63-A5		
MQ-2460GF-63-S4	MQ-2460GF-63-A4	MQ-2460GF-63-S5	MQ-2460GF-63-A5		
MQ-2472GF-63-S4	MQ-2472GF-63-A4	MQ-2472GF-63-S5	MQ-2472GF-63-A5		
Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.		4-SHELF UNITS To configure as a corner unit order: (3) Q9995Z and (1) MX9996		5-SHELF UNITS To configure as a corner unit order: (4) Q9995Z and (1) MX9996	
Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.					

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.

SOLID BOTTOM Mat Shelf — Stationary Units and Add-On Units

Stationary Units: consist of three or four open grid MetroMax Q shelves and one solid MetroMax i bottom shelf.




Corner (Right Angle) Configurations: select one add-on unit one Intermediate MetroMax Q S-hook Kit per open grid shelf and one Intermediate MetroMax i S-hook Kit.

Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).

S-hook
Cat. No. **M9995**
(included with add-on unit)



Intermediate S-hook Kit
Cat. No. **Q9995Z**

Intermediate MetroMax i S-hook Kit
Cat. No. **MX9996**





SOLID BOTTOM Mat Shelf — Stationary Units and Add-On Units


UNIT HEIGHT	4-SHELF UNITS		5-SHELF UNITS	
74"				
	Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
	Nominal Width/Length (in.)	Nominal Width/Length (mm)	Nominal Width/Length (in.)	Nominal Width/Length (mm)
	18x24	457x610	MQ-1824GF-74-S4	MQ-1824GF-74-A4
	18x30	457x760	MQ-1830GF-74-S4	MQ-1830GF-74-A4
	18x36	457x914	MQ-1836GF-74-S4	MQ-1836GF-74-A4
	18x42	457x1060	MQ-1842GF-74-S4	MQ-1842GF-74-A4
	18x48	457x1219	MQ-1848GF-74-S4	MQ-1848GF-74-A4
	18x54	457x1372	MQ-1854GF-74-S4	MQ-1854GF-74-A4
	18x60	457x1524	MQ-1860GF-74-S4	MQ-1860GF-74-A4
18x72	457x1829	MQ-1872GF-74-S4	MQ-1872GF-74-A4	
24x24	610x610	MQ-2424GF-74-S4	MQ-2424GF-74-A4	
24x30	610x760	MQ-2430GF-74-S4	MQ-2430GF-74-A4	
24x36	610x914	MQ-2436GF-74-S4	MQ-2436GF-74-A4	
24x42	610x1060	MQ-2442GF-74-S4	MQ-2442GF-74-A4	
24x48	610x1219	MQ-2448GF-74-S4	MQ-2448GF-74-A4	
24x54	610x1372	MQ-2454GF-74-S4	MQ-2454GF-74-A4	
24x60	610x1524	MQ-2460GF-74-S4	MQ-2460GF-74-A4	
24x72	610x1829	MQ-2472GF-74-S4	MQ-2472GF-74-A4	
Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.		4-SHELF UNITS To configure as a corner unit order: (3) Q9995Z and (1) MX9996		
Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.		5-SHELF UNITS To configure as a corner unit order: (4) Q9995Z and (1) MX9996		

SOLID BOTTOM Mat Shelf — Stationary Units and Add-On Units



Stationary Units: consist of three or four open grid MetroMax Q shelves and one solid MetroMax i bottom shelf.

Corner (Right Angle) Configurations: select one add-on unit one Intermediate MetroMax Q S-hook Kit per open grid shelf and one Intermediate MetroMax i S-hook Kit.

Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).



SOLID BOTTOM Mat Shelf — Stationary Units and Add-On Units


UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	MQ-1824GF-86-S4	MQ-1824GF-86-A4	MQ-1824GF-86-S5	MQ-1824GF-86-A5
18x30	457x760	MQ-1830GF-86-S4	MQ-1830GF-86-A4	MQ-1830GF-86-S5	MQ-1830GF-86-A5
18x36	457x914	MQ-1836GF-86-S4	MQ-1836GF-86-A4	MQ-1836GF-86-S5	MQ-1836GF-86-A5
18x42	457x1060	MQ-1842GF-86-S4	MQ-1842GF-86-A4	MQ-1842GF-86-S5	MQ-1842GF-86-A5
18x48	457x1219	MQ-1848GF-86-S4	MQ-1848GF-86-A4	MQ-1848GF-86-S5	MQ-1848GF-86-A5
18x54	457x1372	MQ-1854GF-86-S4	MQ-1854GF-86-A4	MQ-1854GF-86-S5	MQ-1854GF-86-A5
18x60	457x1524	MQ-1860GF-86-S4	MQ-1860GF-86-A4	MQ-1860GF-86-S5	MQ-1860GF-86-A5
18x72	457x1829	MQ-1872GF-86-S4	MQ-1872GF-86-A4	MQ-1872GF-86-S5	MQ-1872GF-86-A5
24x24	610x610	MQ-2424GF-86-S4	MQ-2424GF-86-A4	MQ-2424GF-86-S5	MQ-2424GF-86-A5
24x30	610x760	MQ-2430GF-86-S4	MQ-2430GF-86-A4	MQ-2430GF-86-S5	MQ-2430GF-86-A5
24x36	610x914	MQ-2436GF-86-S4	MQ-2436GF-86-A4	MQ-2436GF-86-S5	MQ-2436GF-86-A5
24x42	610x1060	MQ-2442GF-86-S4	MQ-2442GF-86-A4	MQ-2442GF-86-S5	MQ-2442GF-86-A5
24x48	610x1219	MQ-2448GF-86-S4	MQ-2448GF-86-A4	MQ-2448GF-86-S5	MQ-2448GF-86-A5
24x54	610x1372	MQ-2454GF-86-S4	MQ-2454GF-86-A4	MQ-2454GF-86-S5	MQ-2454GF-86-A5
24x60	610x1524	MQ-2460GF-86-S4	MQ-2460GF-86-A4	MQ-2460GF-86-S5	MQ-2460GF-86-A5
24x72	610x1829	MQ-2472GF-86-S4	MQ-2472GF-86-A4	MQ-2472GF-86-S5	MQ-2472GF-86-A5
Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened. Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.			4-SHELF UNITS To configure as a corner unit order: (3) Q9995Z and (1) MX9996	5-SHELF UNITS To configure as a corner unit order: (4) Q9995Z and (1) MX9996	

SOLID BOTTOM Mat Shelf — Stationary Units and Add-On Units

Stationary Units: consist of three or four open grid MetroMax Q shelves and one solid MetroMax i bottom shelf.



Corner (Right Angle) Configurations: select one add-on unit one Intermediate MetroMax Q S-hook Kit per open grid shelf and one Intermediate MetroMax i S-hook Kit.

Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).





OPEN GRID Mat Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
68"			
		Mobile Unit Cat. No.	Mobile Unit Cat. No.
Nominal Width/Length (in.) (mm)			
18x24	457x610	MQ-1824G-68-M4	MQ-1824G-68-M5
18x30	457x760	MQ-1830G-68-M4	MQ-1830G-68-M5
18x36	457x914	MQ-1836G-68-M4	MQ-1836G-68-M5
18x42	457x1060	MQ-1842G-68-M4	MQ-1842G-68-M5
18x48	457x1219	MQ-1848G-68-M4	MQ-1848G-68-M5
18x54	457x1372	MQ-1854G-68-M4	MQ-1854G-68-M5
18x60	457x1524	MQ-1860G-68-M4	MQ-1860G-68-M5
18x72	457x1829	MQ-1872G-68-M4	MQ-1872G-68-M5
21x24	530x610	MQ-2124G-68-M4	MQ-2124G-68-M5
21x30	530x760	MQ-2130G-68-M4	MQ-2130G-68-M5
21x36	530x914	MQ-2136G-68-M4	MQ-2136G-68-M5
21x42	530x1060	MQ-2142G-68-M4	MQ-2142G-68-M5
21x48	530x1219	MQ-2148G-68-M4	MQ-2148G-68-M5
21x54	530x1372	MQ-2154G-68-M4	MQ-2154G-68-M5
21x60	530x1524	MQ-2160G-68-M4	MQ-2160G-68-M5
21x72	530x1829	MQ-2172G-68-M4	MQ-2172G-68-M5
24x24	610x610	MQ-2424G-68-M4	MQ-2424G-68-M5
24x30	610x760	MQ-2430G-68-M4	MQ-2430G-68-M5
24x36	610x914	MQ-2436G-68-M4	MQ-2436G-68-M5
24x42	610x1060	MQ-2442G-68-M4	MQ-2442G-68-M5
24x48	610x1219	MQ-2448G-68-M4	MQ-2448G-68-M5
24x54	610x1372	MQ-2454G-68-M4	MQ-2454G-68-M5
24x60	610x1524	MQ-2460G-68-M4	MQ-2460G-68-M5
24x72	610x1829	MQ-2472G-68-M4	MQ-2472G-68-M5

Actual Height: 67-5/16" (67.3125") [1720 mm]
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: **Width:** Add 2-5/16" (2.3125") [59 mm] to nominal width. **Length:** Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 1-5/16" (1.3125") [33 mm] to nominal width. **Length:** Add 3/4" (0.75") [19 mm] to nominal length.

OPEN GRID Mat Shelves — Mobile Shelving Units

Mobile Units: consist of four or five open grid mat shelves, four polymer posts and four standard polymer casters (two with brakes).





5PCX



5PCBX



OPEN GRID Mat Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
80"			
		Mobile Unit Cat. No.	Mobile Unit Cat. No.
Nominal Width/Length (in.) (mm)			
18x24	457x610	MQ-1824G-80-M4	MQ-1824G-80-M5
18x30	457x760	MQ-1830G-80-M4	MQ-1830G-80-M5
18x36	457x914	MQ-1836G-80-M4	MQ-1836G-80-M5
18x42	457x1060	MQ-1842G-80-M4	MQ-1842G-80-M5
18x48	457x1219	MQ-1848G-80-M4	MQ-1848G-80-M5
18x54	457x1372	MQ-1854G-80-M4	MQ-1854G-80-M5
18x60	457x1524	MQ-1860G-80-M4	MQ-1860G-80-M5
18x72	457x1829	MQ-1872G-80-M4	MQ-1872G-80-M5
21x24	530x610	MQ-2124G-80-M4	MQ-2124G-80-M5
21x30	530x760	MQ-2130G-80-M4	MQ-2130G-80-M5
21x36	530x914	MQ-2136G-80-M4	MQ-2136G-80-M5
21x42	530x1060	MQ-2142G-80-M4	MQ-2142G-80-M5
21x48	530x1219	MQ-2148G-80-M4	MQ-2148G-80-M5
21x54	530x1372	MQ-2154G-80-M4	MQ-2154G-80-M5
21x60	530x1524	MQ-2160G-80-M4	MQ-2160G-80-M5
21x72	530x1829	MQ-2172G-80-M4	MQ-2172G-80-M5
24x24	610x610	MQ-2424G-80-M4	MQ-2424G-80-M5
24x30	610x760	MQ-2430G-80-M4	MQ-2430G-80-M5
24x36	610x914	MQ-2436G-80-M4	MQ-2436G-80-M5
24x42	610x1060	MQ-2442G-80-M4	MQ-2442G-80-M5
24x48	610x1219	MQ-2448G-80-M4	MQ-2448G-80-M5
24x54	610x1372	MQ-2454G-80-M4	MQ-2454G-80-M5
24x60	610x1524	MQ-2460G-80-M4	MQ-2460G-80-M5
24x72	610x1829	MQ-2472G-80-M4	MQ-2472G-80-M5

Actual Height: 79-5/16" (79.3125") [2015 mm]
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: **Width:** Add 2-5/16" (2.3125") [59 mm] to nominal width. **Length:** Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 1-5/16" (1.3125") [33 mm] to nominal width. **Length:** Add 3/4" (0.75") [19 mm] to nominal length.

OPEN GRID Mat Shelves — Mobile Shelving Units

Mobile Units: consist of four or five open grid mat shelves, four polymer posts and four standard polymer casters (two with brakes).





5PCX



5PCBX



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
68"			
		Mobile Unit Cat. No.	Mobile Unit Cat. No.
Nominal Width/Length (in.) (mm)			
18x24	457x610	MQ-1824GF-68-M4	MQ-1824GF-68-M5
18x30	457x760	MQ-1830GF-68-M4	MQ-1830GF-68-M5
18x36	457x914	MQ-1836GF-68-M4	MQ-1836GF-68-M5
18x42	457x1060	MQ-1842GF-68-M4	MQ-1842GF-68-M5
18x48	457x1219	MQ-1848GF-68-M4	MQ-1848GF-68-M5
18x54	457x1372	MQ-1854GF-68-M4	MQ-1854GF-68-M5
18x60	457x1524	MQ-1860GF-68-M4	MQ-1860GF-68-M5
18x72	457x1829	MQ-1872GF-68-M4	MQ-1872GF-68-M5
24x24	610x610	MQ-2424GF-68-M4	MQ-2424GF-68-M5
24x30	610x760	MQ-2430GF-68-M4	MQ-2430GF-68-M5
24x36	610x914	MQ-2436GF-68-M4	MQ-2436GF-68-M5
24x42	610x1060	MQ-2442GF-68-M4	MQ-2442GF-68-M5
24x48	610x1219	MQ-2448GF-68-M4	MQ-2448GF-68-M5
24x54	610x1372	MQ-2454GF-68-M4	MQ-2454GF-68-M5
24x60	610x1524	MQ-2460GF-68-M4	MQ-2460GF-68-M5
24x72	610x1829	MQ-2472GF-68-M4	MQ-2472GF-68-M5

Actual Height: 67-5/16" (67.3125") [1720 mm]
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: Width: Add 2-5/16" (2.3125") [59 mm] to nominal width. Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 1-5/16" (1.3125") [33 mm] to nominal width. Length: Add 3/4" (0.75") [19 mm] to nominal length.

SOLID BOTTOM Mat shelf, OPEN GRID Mat Upper Shelves Mobile Shelving Units

Mobile Units: consist of three or four MetroMax Q open grid mat shelves, one MetroMax i solid mat bottom shelf, four polymer posts and four standard polymer casters (two with brakes).





5PCX



5PCBX



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
80"			
		Mobile Unit Cat. No.	Mobile Unit Cat. No.
Nominal Width/Length (in.) (mm)			
18x24	457x610	MQ-1824GF-80-M4	MQ-1824GF-80-M5
18x30	457x760	MQ-1830GF-80-M4	MQ-1830GF-80-M5
18x36	457x914	MQ-1836GF-80-M4	MQ-1836GF-80-M5
18x42	457x1060	MQ-1842GF-80-M4	MQ-1842GF-80-M5
18x48	457x1219	MQ-1848GF-80-M4	MQ-1848GF-80-M5
18x54	457x1372	MQ-1854GF-80-M4	MQ-1854GF-80-M5
18x60	457x1524	MQ-1860GF-80-M4	MQ-1860GF-80-M5
18x72	457x1829	MQ-1872GF-80-M4	MQ-1872GF-80-M5
24x24	610x610	MQ-2424GF-80-M4	MQ-2424GF-80-M5
24x30	610x760	MQ-2430GF-80-M4	MQ-2430GF-80-M5
24x36	610x914	MQ-2436GF-80-M4	MQ-2436GF-80-M5
24x42	610x1060	MQ-2442GF-80-M4	MQ-2442GF-80-M5
24x48	610x1219	MQ-2448GF-80-M4	MQ-2448GF-80-M5
24x54	610x1372	MQ-2454GF-80-M4	MQ-2454GF-80-M5
24x60	610x1524	MQ-2460GF-80-M4	MQ-2460GF-80-M5
24x72	610x1829	MQ-2472GF-80-M4	MQ-2472GF-80-M5

Actual Height: 79-5/16" (79.3125") [2015 mm]
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: Width: Add 2-5/16" (2.3125") [59 mm] to nominal width. Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 1-5/16" (1.3125") [33 mm] to nominal width. Length: Add 3/4" (0.75") [19 mm] to nominal length.

SOLID BOTTOM Mat shelf, OPEN GRID Mat Upper Shelves Mobile Shelving Units

Mobile Units: consist of three or four MetroMax Q open grid mat shelves, one MetroMax i solid mat bottom shelf, four polymer posts and four standard polymer casters (two with brakes).



5PCX



5PCBX


MetroMax® Q Specifications

Product Specifications

	MetroMax Q
Warranty	25 Year against rust & corrosion Never Collapse Guarantee Each Metro stationary shelving unit, add-on shelving unit, mobile shelving unit and Track Shelving System are backed by a 100% money-back guarantee against unit collapse.
NSF	Shelving listed for ALL Environments
Antimicrobial Protection	Microban® Antimicrobial Product Protection is built into the shelf mats
Shelf Adjustment	Shelves adjust on 1" (25 mm) increments along the post using easy-adjust lever.
Post Capture	360° contact with post / post wedge
Cleaning	All components, including mats, are dishwasher and chemical cleaner safe
Shelf Mats	Open grid mat shelves have 18" and 12" mat sections.
Assembly	Shelves are pre-assembled. One-piece wedges attach to the posts. Shelf seats into position over the posts and wedges. Lock lever in place. A unit can be assembled and adjusted without tools.

Material Specifications

	MetroMax Q
Shelf Mats	Polypropylene. Mats contain Microban® antimicrobial product protection.
Wire Shelf Under Structure	Steel with electroplated substrate with durable, abrasion-resistant epoxy finish.
Steel Posts	Steel with electroplated substrate with epoxy finish. Adjustable foot and socket are reinforced nylon
Polymer Posts	Pultrusions — continuous glass fibers and thermoset resin composite. Adjustable foot and socket are reinforced nylon
Post Cap	High-density polyethylene.
Casters	Polymer casters (5PCX, 5PCBX): Nylon rig, zinc plated stem and swivel raceway cover, stainless axle hardware, polyurethane wheel tread, Bumper is non-phthalate PVC.
Shelf Wedge	Reinforced nylon
Standard S-hook/ Intermediate S-hook Bracket	S-hook: Type 304 Stainless Steel Intermediate S-hook Bracket: Zinc plated carbon steel
Continuous Temperature Exposure Range (with shelves under load): -20°F (-29°C) to 120°F (52°C) continuous use, with intermittent exposure to 200°F (93°C) for cleaning.	



Load Ratings

Stationary Unit	Mobile Unit	Four Post Unit & End-to-End Add-on Unit	Corner Configuration “L” with an Add-on Unit
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)	800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)	800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)	800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer	600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer	600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer	600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) per Unit	900 lbs. (408 kg) per unit with 5PCX/5PCBX casters	2000 lbs. (907 kg) per Unit	2000 lbs. (907 kg) per Unit

Shelving Height Guidelines

Shelf Depth	14" (356 mm)	18" (457 mm)	21" (533 mm)	24" (610 mm)
Maximum Allowable Post Height – Stationary	63" (1600 mm)	86" (2184 mm)	86" (2184 mm)	86" (2184 mm)
Maximum Allowable Post Height – Mobile	54" (1372 mm)	74" (1880 mm)	74" (1880 mm)	86" (2184 mm)

* Note: 14" (356 mm) depth units with foot plates or wall brackets properly attached to the floor or wall, the maximum allowable stationary height is 86" (2184 mm).

MetroMax® i

All-Plastic Heavy-Duty Shelving with Removable Mats



Sturdiness

Full 360° capture of the post in each corner.



Strength

Holds up to 1000lbs. per shelf 2000lbs. per unit.



Durability

Rust proof and built to last a lifetime. Never falls down.



1000
LBS. PER SHELF



100%
RUST PROOF



Mobility

Superior design accomodates carts & overhead track shelving.



Cleanability

Removable shelf mats can be cleaned quickly & easily and have built-in Microban® antimicrobial protection.



Assembly

Assembles in 1/2 the time of ladder style shelving.




NSF

Full NSF listing that includes shelves posts & accessories.

Features and Benefits:

- **Rust & Corrosion Proof:** All-polymer construction withstands moisture, chemicals, and harsh environments.
- **Proven Stability:** Proven Metro corner design and rigid four-sided shelf frame deliver sturdy runs of shelving. The only shelving guaranteed never to collapse.
- **Easy-to-Clean:** Shelf mats easily remove from the shelf for cleaning by hand or in a commercial washer / dish machine.
- **Microban® Antimicrobial Product Protection:** Is built into the shelf mats to help fight the growth of stain and odor-causing bacteria, fungi, mold, and mildew to keep product cleaner between cleanings.
- **Smooth, Protective Surfaces:** Smooth, flat surfaces protect packaged shelf contents from unwanted rips, tears, or damage.
- **Easy Access:** Corner configurations allow easy access to the shelf contents by eliminating a front post.
- **Efficient Use of Space:** Shelves adjust on 1" (25 mm) increments along the post to maximize the use of available vertical space.
- **Fast, Easy Assembly:** Shelves are ready to use right out of the box. One-piece wedges securely attach to the posts. Numbers on the post to locate the desired shelf position. Shelf seats into position over the posts and wedges. A unit can be assembled easily without tools in minutes.



One-Piece Solid Mats Available.



All-Polymer Mobile or Stationary Posts


Wet Environment	Cleanability	Abrasion Resistance	Accessorization	Shelf Capacity	Relative Price	Corrosion Warranty
★★★★	★★★★	★★★★	★★★	1000lbs. (454kg)	\$\$\$\$	Lifetime

Most used for:

- Coolers
- Freezers
- Heavy Loads
- Mobile Applications
- Dish Areas
- Dry Aging
- Drying Racks
- Wet Areas
- Dry Storage
- Track Shelving
- Spill Containment



Part Number Explanation



Shelf types:
G = open grid mat shelves
GF = grid upper & solid bottom shelves
F = solid mat shelves





OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MX-1824G-63-S4	MX-1824G-63-A4	MX-1824G-63-S5	MX-1824G-63-A5
18x30	457x760	MX-1830G-63-S4	MX-1830G-63-A4	MX-1830G-63-S5	MX-1830G-63-A5
18x36	457x914	MX-1836G-63-S4	MX-1836G-63-A4	MX-1836G-63-S5	MX-1836G-63-A5
18x42	457x1060	MX-1842G-63-S4	MQ-1842G-63-A4	MX-1842G-63-S5	MX-1842G-63-A5
18x48	457x1219	MX-1848G-63-S4	MX-1848G-63-A4	MX-1848G-63-S5	MX-1848G-63-A5
18x54	457x1372	MX-1854G-63-S4	MX-1854G-63-A4	MX-1854G-63-S5	MX-1854G-63-A5
18x60	457x1524	MX-1860G-63-S4	MX-1860G-63-A4	MX-1860G-63-S5	MX-1860G-63-A5
18x72	457x18294	MX-1872G-63-S4	MX-1872G-63-A4	MX-1872G-63-S5	MX-1872G-63-A5
24x24	610x610	MX-2424G-63-S4	MX-2424G-63-A4	MX-2424G-63-S5	MX-2424G-63-A5
24x30	610x760	MX-2430G-63-S4	MX-2430G-63-A4	MX-2430G-63-S5	MX-2430G-63-A5
24x36	610x914	MX-2436G-63-S4	MX-2436G-63-A4	MX-2436G-63-S5	MX-2436G-63-A5
24x42	610x1060	MX-2442G-63-S4	MX-2442G-63-A4	MX-2442G-63-S5	MX-2442G-63-A5
24x48	610x1219	MX-2448G-63-S4	MX-2448G-63-A4	MX-2448G-63-S5	MX-2448G-63-A5
24x54	610x1372	MX-2454G-63-S4	MX-2454G-63-A4	MX-2454G-63-S5	MX-2454G-63-A5
24x60	610x1524	MX-2460G-63-S4	MX-2460G-63-A4	MX-2460G-63-S5	MX-2460G-63-A5
24x72	610x1829	MX-2472G-63-S4	MX-2472G-63-A4	MX-2472G-63-S5	MX-2472G-63-A5

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.





OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.

Standard S-hook (Included)
Cat. No. **M9995**

Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR5**
(includes 5 intermediate S-hook brackets)



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MX-1824G-74-S4	MX-1824G-74-A4	MX-1824G-74-S5	MX-1824G-74-A5
18x30	457x760	MX-1830G-74-S4	MX-1830G-74-A4	MX-1830G-74-S5	MX-1830G-74-A5
18x36	457x914	MX-1836G-74-S4	MX-1836G-74-A4	MX-1836G-74-S5	MX-1836G-74-A5
18x42	457x1060	MX-1842G-74-S4	MX-1842G-74-A4	MX-1842G-74-S5	MX-1842G-74-A5
18x48	457x1219	MX-1848G-74-S4	MX-1848G-74-A4	MX-1848G-74-S5	MX-1848G-74-A5
18x54	457x1372	MX-1854G-74-S4	MX-1854G-74-A4	MX-1854G-74-S5	MX-1854G-74-A5
18x60	457x1524	MX-1860G-74-S4	MX-1860G-74-A4	MX-1860G-74-S5	MX-1860G-74-A5
18x72	457x1829	MX-1872G-74-S4	MX-1872G-74-A4	MX-1872G-74-S5	MX-1872G-74-A5
24x24	610x610	MX-2424G-74-S4	MX-2424G-74-A4	MX-2424G-74-S5	MX-2424G-74-A5
24x30	610x760	MX-2430G-74-S4	MX-2430G-74-A4	MX-2430G-74-S5	MX-2430G-74-A5
24x36	610x914	MX-2436G-74-S4	MX-2436G-74-A4	MX-2436G-74-S5	MX-2436G-74-A5
24x42	610x1060	MX-2442G-74-S4	MX-2442G-74-A4	MX-2442G-74-S5	MX-2442G-74-A5
24x48	610x1219	MX-2448G-74-S4	MX-2448G-74-A4	MX-2448G-74-S5	MX-2448G-74-A5
24x54	610x1372	MX-2454G-74-S4	MX-2454G-74-A4	MX-2454G-74-S5	MX-2454G-74-A5
24x60	610x1524	MX-2460G-74-S4	MX-2460G-74-A4	MX-2460G-74-S5	MX-2460G-74-A5
24x72	610x1829	MX-2472G-74-S4	MX-2472G-74-A4	MX-2472G-74-S5	MX-2472G-74-A5

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.





OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.

Standard S-hook (Included)
Cat. No. **M9995**

Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR5**
(includes 5 intermediate S-hook brackets)



OPEN GRID Mat Shelves — Stationary Units and Add-On Units





UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MX-1824G-86-S4	MX-1824G-86-A4	MX-1824G-86-S5	MX-1824G-86-A5
18x30	457x760	MX-1830G-86-S4	MX-1830G-86-A4	MX-1830G-86-S5	MX-1830G-86-A5
18x36	457x914	MX-1836G-86-S4	MX-1836G-86-A4	MX-1836G-86-S5	MX-1836G-86-A5
18x42	457x1060	MX-1842G-86-S4	MX-1842G-86-A4	MX-1842G-86-S5	MX-1842G-86-A5
18x48	457x1219	MX-1848G-86-S4	MX-1848G-86-A4	MX-1848G-86-S5	MX-1848G-86-A5
18x54	457x1372	MX-1854G-86-S4	MX-1854G-86-A4	MX-1854G-86-S5	MX-1854G-86-A5
18x60	457x1524	MX-1860G-86-S4	MX-1860G-86-A4	MX-1860G-86-S5	MX-1860G-86-A5
18x72	457x1829	MX-1872G-86-S4	MX-1872G-86-A4	MX-1872G-86-S5	MX-1872G-86-A5
24x24	610x610	MX-2424G-86-S4	MX-2424G-86-A4	MX-2424G-86-S5	MX-2424G-86-A5
24x30	610x760	MX-2430G-86-S4	MX-2430G-86-A4	MX-2430G-86-S5	MX-2430G-86-A5
24x36	610x914	MX-2436G-86-S4	MX-2436G-86-A4	MX-2436G-86-S5	MX-2436G-86-A5
24x42	610x1060	MX-2442G-86-S4	MX-2442G-86-A4	MX-2442G-86-S5	MX-2442G-86-A5
24x48	610x1219	MX-2448G-86-S4	MX-2448G-86-A4	MX-2448G-86-S5	MX-2448G-86-A5
24x54	610x1372	MX-2454G-86-S4	MX-2454G-86-A4	MX-2454G-86-S5	MX-2454G-86-A5
24x60	610x1524	MX-2460G-86-S4	MX-2460G-86-A4	MX-2460G-86-S5	MX-2460G-86-A5
24x72	610x1829	MX-2472G-86-S4	MX-2472G-86-A4	MX-2472G-86-S5	MX-2472G-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.

OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.
Four-shelf units include (8) standard S-hooks.
Five-shelf units include (10) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.

Standard S-hook (Included)
Cat. No. M9995

Intermediate S-hook Bracket
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

Four-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR5**
(includes 5 intermediate S-hook brackets)



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Stationary Units and Add-On Units




UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MX-1824GF-63-S4	MX-1824GF-63-A4	MX-1824GF-63-S5	MX-1824GF-63-A5
18x30	457x760	MX-1830GF-63-S4	MX-1830GF-63-A4	MX-1830GF-63-S5	MX-1830GF-63-A5
18x36	457x914	MX-1836GF-63-S4	MX-1836GF-63-A4	MX-1836GF-63-S5	MX-1836GF-63-A5
18x42	457x1060	MX-1842GF-63-S4	MX-1842GF-63-A4	MX-1842GF-63-S5	MX-1842GF-63-A5
18x48	457x1219	MX-1848GF-63-S4	MX-1848GF-63-A4	MX-1848GF-63-S5	MX-1848GF-63-A5
18x54	457x1372	MX-1854GF-63-S4	MX-1854GF-63-A4	MX-1854GF-63-S5	MX-1854GF-63-A5
18x60	457x1524	MX-1860GF-63-S4	MX-1860GF-63-A4	MX-1860GF-63-S5	MX-1860GF-63-A5
18x72	457x1829	MX-1872GF-63-S4	MX-1872GF-63-A4	MX-1872GF-63-S5	MX-1872GF-63-A5
24x24	610x610	MX-2424GF-63-S4	MX-2424GF-63-A4	MX-2424GF-63-S5	MX-2424GF-63-A5
24x30	610x760	MX-2430GF-63-S4	MX-2430GF-63-A4	MX-2430GF-63-S5	MX-2430GF-63-A5
24x36	610x914	MX-2436GF-63-S4	MX-2436GF-63-A4	MX-2436GF-63-S5	MX-2436GF-63-A5
24x42	610x1060	MX-2442GF-63-S4	MX-2442GF-63-A4	MX-2442GF-63-S5	MX-2442GF-63-A5
24x48	610x1219	MX-2448GF-63-S4	MX-2448GF-63-A4	MX-2448GF-63-S5	MX-2448GF-63-A5
24x54	610x1372	MX-2454GF-63-S4	MX-2454GF-63-A4	MX-2454GF-63-S5	MX-2454GF-63-A5
24x60	610x1524	MX-2460GF-63-S4	MX-2460GF-63-A4	MX-2460GF-63-S5	MX-2460GF-63-A5
24x72	610x1829	MX-2472GF-63-S4	MX-2472GF-63-A4	MX-2472GF-63-S5	MX-2472GF-63-A5

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary
Units and Add-On Units

Stationary Units: consist of three or four open grid shelves, one solid mat shelf bottom and four posts.

Add-on Units: consist of three or four open grid mat shelves, one solid mat bottom shelf, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.
Four-shelf units include (8) standard S-hooks.
Five-shelf units include (10) standard S-hooks.




Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.

Standard S-hook (Included)
Cat. No. M9995



Intermediate S-hook Bracket
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

Four-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR5**
(includes 5 intermediate S-hook brackets)



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Stationary Units and Add-On Units





UNIT HEIGHT	4-SHELF UNITS		5-SHELF UNITS	
74"				
	◀ SOLID Mat Shelf ▶		◀ SOLID Mat Shelf ▶	
Nominal Width/Length (in.) (mm)	Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24 457x610	MX-1824GF-74-S4	MX-1824GF-74-A4	MX-1824GF-74-S5	MX-1824GF-74-A5
18x30 457x760	MX-1830GF-74-S4	MX-1830GF-74-A4	MX-1830GF-74-S5	MX-1830GF-74-A5
18x36 457x914	MX-1836GF-74-S4	MX-1836GF-74-A4	MX-1836GF-74-S5	MX-1836GF-74-A5
18x42 457x1060	MX-1842GF-74-S4	MX-1842GF-74-A4	MX-1842GF-74-S5	MX-1842GF-74-A5
18x48 457x1219	MX-1848GF-74-S4	MX-1848GF-74-A4	MX-1848GF-74-S5	MX-1848GF-74-A5
18x54 457x1372	MX-1854GF-74-S4	MX-1854GF-74-A4	MX-1854GF-74-S5	MX-1854GF-74-A5
18x60 457x1524	MX-1860GF-74-S4	MX-1860GF-74-A4	MX-1860GF-74-S5	MX-1860GF-74-A5
18x72 457x1829	MX-1872GF-74-S4	MX-1872GF-74-A4	MX-1872GF-74-S5	MX-1872GF-74-A5
24x24 610x610	MX-2424GF-74-S4	MX-2424GF-74-A4	MX-2424GF-74-S5	MX-2424GF-74-A5
24x30 610x760	MX-2430GF-74-S4	MX-2430GF-74-A4	MX-2430GF-74-S5	MX-2430GF-74-A5
24x36 610x914	MX-2436GF-74-S4	MX-2436GF-74-A4	MX-2436GF-74-S5	MX-2436GF-74-A5
24x42 610x1060	MX-2442GF-74-S4	MX-2442GF-74-A4	MX-2442GF-74-S5	MX-2442GF-74-A5
24x48 610x1219	MX-2448GF-74-S4	MX-2448GF-74-A4	MX-2448GF-74-S5	MX-2448GF-74-A5
24x54 610x1372	MX-2454GF-74-S4	MX-2454GF-74-A4	MX-2454GF-74-S5	MX-2454GF-74-A5
24x60 610x1524	MX-2460GF-74-S4	MX-2460GF-74-A4	MX-2460GF-74-S5	MX-2460GF-74-A5
24x72 610x1829	MX-2472GF-74-S4	MX-2472GF-74-A4	MX-2472GF-74-S5	MX-2472GF-74-A5

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary
Units and Add-On Units

Stationary Units: consist of three or four open grid shelves, one solid mat shelf bottom and four posts.

Add-on Units: consist of three or four open grid mat shelves, one solid mat bottom shelf, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.
Four-shelf units include (8) standard S-hooks.
Five-shelf units include (10) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.





Standard S-hook (Included)
Cat. No. M9995



Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. MXCNR4
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. MXCNR5
(includes 5 intermediate S-hook brackets)

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Stationary Units and Add-On Units





UNIT HEIGHT	4-SHELF UNITS		5-SHELF UNITS	
86"				
	◀ SOLID Mat Shelf ▶		◀ SOLID Mat Shelf ▶	
Nominal Width/Length (in.) (mm)	Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24 457x610	MX-1824GF-86-S4	MX-1824GF-86-A4	MX-1824GF-86-S5	MX-1824GF-86-A5
18x30 457x760	MX-1830GF-86-S4	MX-1830GF-86-A4	MX-1830GF-86-S5	MX-1830GF-86-A5
18x36 457x914	MX-1836GF-86-S4	MX-1836GF-86-A4	MX-1836GF-86-S5	MX-1836GF-86-A5
18x42 457x1060	MX-1842GF-86-S4	MX-1842GF-86-A4	MX-1842GF-86-S5	MX-1842GF-86-A5
18x48 457x1219	MX-1848GF-86-S4	MX-1848GF-86-A4	MX-1848GF-86-S5	MX-1848GF-86-A5
18x54 457x1372	MX-1854GF-86-S4	MX-1854GF-86-A4	MX-1854GF-86-S5	MX-1854GF-86-A5
18x60 457x1524	MX-1860GF-86-S4	MX-1860GF-86-A4	MX-1860GF-86-S5	MX-1860GF-86-A5
18x72 457x1829	MX-1872GF-86-S4	MX-1872GF-86-A4	MX-1872GF-86-S5	MX-1872GF-86-A5
24x24 610x610	MX-2424GF-86-S4	MX-2424GF-86-A4	MX-2424GF-86-S5	MX-2424GF-86-A5
24x30 610x760	MX-2430GF-86-S4	MX-2430GF-86-A4	MX-2430GF-86-S5	MX-2430GF-86-A5
24x36 610x914	MX-2436GF-86-S4	MX-2436GF-86-A4	MX-2436GF-86-S5	MX-2436GF-86-A5
24x42 610x1060	MX-2442GF-86-S4	MX-2442GF-86-A4	MX-2442GF-86-S5	MX-2442GF-86-A5
24x48 610x1219	MX-2448GF-86-S4	MX-2448GF-86-A4	MX-2448GF-86-S5	MX-2448GF-86-A5
24x54 610x1372	MX-2454GF-86-S4	MX-2454GF-86-A4	MX-2454GF-86-S5	MX-2454GF-86-A5
24x60 610x1524	MX-2460GF-86-S4	MX-2460GF-86-A4	MX-2460GF-86-S5	MX-2460GF-86-A5
24x72 610x1829	MX-2472GF-86-S4	MX-2472GF-86-A4	MX-2472GF-86-S5	MX-2472GF-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary
Units and Add-On Units

Stationary Units: consist of three or four open grid shelves, one solid mat shelf bottom and four posts.

Add-on Units: consist of three or four open grid mat shelves, one solid mat bottom shelf, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.
Four-shelf units include (8) standard S-hooks.
Five-shelf units include (10) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



Standard S-hook (Included)
Cat. No. M9995



Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. MXCNR4
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. MXCNR5
(includes 5 intermediate S-hook brackets)



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
6-Shelf and 7-Shelf Stationary Units

UNIT HEIGHT	6-SHELF UNITS	UNIT HEIGHT	6-SHELF UNITS	7-SHELF UNITS
63"		74"		
Nominal Width/Length (in.)	Stationary Unit Cat. No.	Nominal Width/Length (in.)	Stationary Unit Cat. No.	Stationary Unit Cat. No.
18x24	MX-1824GF-63-S6	18x24	MX-1824GF-74-S6	MX-1824GF-74-S7
18x30	MX-1830GF-63-S6	18x30	MX-1830GF-74-S6	MX-1830GF-74-S7
18x36	MX-1836GF-63-S6	18x36	MX-1836GF-74-S6	MX-1836GF-74-S7
18x42	MX-1842GF-63-S6	18x42	MX-1842GF-74-S6	MX-1842GF-74-S7
18x48	MX-1848GF-63-S6	18x48	MX-1848GF-74-S6	MX-1848GF-74-S7
18x54	MX-1854GF-63-S6	18x54	MX-1854GF-74-S6	MX-1854GF-74-S7
18x60	MX-1860GF-63-S6	18x60	MX-1860GF-74-S6	MX-1860GF-74-S7
24x24	MX-2424GF-63-S6	24x24	MX-2424GF-74-S6	MX-2424GF-74-S7
24x30	MX-2430GF-63-S6	24x30	MX-2430GF-74-S6	MX-2430GF-74-S7
24x36	MX-2436GF-63-S6	24x36	MX-2436GF-74-S6	MX-2436GF-74-S7
24x42	MX-2442GF-63-S6	24x42	MX-2442GF-74-S6	MX-2442GF-74-S7
24x48	MX-2448GF-63-S6	24x48	MX-2448GF-74-S6	MX-2448GF-74-S7
24x54	MX-2454GF-63-S6	24x54	MX-2454GF-74-S6	MX-2454GF-74-S7
24x60	MX-2460GF-63-S6	24x60	MX-2460GF-74-S6	MX-2460GF-74-S7
24x72	MX-2472GF-63-S6	24x72	MX-2472GF-74-S6	MX-2472GF-74-S7


Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
6-Shelf and 7-Shelf Stationary Units

Six-shelf units have five open grid mat shelves, and one solid bottom mat shelf and four posts.

Seven-shelf units have six open grid mat shelves, and one solid bottom mat shelf and four posts.



SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT	4-SHELF UNITS	
63"		
Nominal Width/Length (in.)	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	MX-1824F-63-S4	MX-1824F-63-A4
18x30	MX-1830F-63-S4	MX-1830F-63-A4
18x36	MX-1836F-63-S4	MX-1836F-63-A4
18x42	MX-1842F-63-S4	MX-1842F-63-A4
18x48	MX-1848F-63-S4	MX-1848F-63-A4
18x54	MX-1854F-63-S4	MX-1854F-63-A4
18x60	MX-1860F-63-S4	MX-1860F-63-A4
24x24	MX-2424F-63-S4	MX-2424F-63-A4
24x30	MX-2430F-63-S4	MX-2430F-63-A4
24x36	MX-2436F-63-S4	MX-2436F-63-A4
24x42	MX-2442F-63-S4	MX-2442F-63-A4
24x48	MX-2448F-63-S4	MX-2448F-63-A4
24x54	MX-2454F-63-S4	MX-2454F-63-A4
24x60	MX-2460F-63-S4	MX-2460F-63-A4
24x72	MX-2472F-63-S4	MX-2472F-63-A4

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.




4-Shelf Stationary Unit

SOLID MAT Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four solid mat shelves and four posts.

Add-on Units: consist of four solid mat shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units. Four-shelf units include (8) standard S-hooks.



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.





Standard S-hook (Included)
Cat. No. **M9995**





Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

- Regular S-hook location
- Intermediate bracket location
- Post
- Post not required





SOLID MAT Shelves — Stationary Units and Add-On Units


UNIT HEIGHT		4-SHELF UNITS	
74"			
		Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)			
18x24	457x610	MX-1824F-74-S4	MX-1824F-74-A4
18x30	457x760	MX-1830F-74-S4	MX-1830F-74-A4
18x36	457x914	MX-1836F-74-S4	MX-1836F-74-A4
18x42	457x1060	MX-1842F-74-S4	MX-1842F-74-A4
18x48	457x1219	MX-1848F-74-S4	MX-1848F-74-A4
18x54	457x1372	MX-1854F-74-S4	MX-1854F-74-A4
18x60	457x1524	MX-1860F-74-S4	MX-1860F-74-A4
24x24	610x610	MX-2424F-74-S4	MX-2424F-74-A4
24x30	610x760	MX-2430F-74-S4	MX-2430F-74-A4
24x36	610x914	MX-2436F-74-S4	MX-2436F-74-A4
24x42	610x1060	MX-2442F-74-S4	MX-2442F-74-A4
24x48	610x1219	MX-2448F-74-S4	MX-2448F-74-A4
24x54	610x1372	MX-2454F-74-S4	MX-2454F-74-A4
24x60	610x1524	MX-2460F-74-S4	MX-2460F-74-A4
24x72	610x1829	MX-2472F-74-S4	MX-2472F-74-A4

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width.
Subtract 5/16" [0.3125", (8 mm)] from the nominal length.



SOLID MAT Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four solid mat shelves and four posts.

Add-on Units: consist of four solid mat shelves, (2) posts, and standard S-Hook Kits
(2 per shelf) to configure end-to-end units.
Four-shelf units include (8) standard S-hooks.



- Regular S-hook location
- Intermediate bracket location
- Post
- Post not required



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.







Standard S-hook
(Included)
Cat. No.
M9995



Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)



SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)					
18x24	457x610	MX-1824F-86-S4	MX-1824F-86-A4	MX-1824F-86-S5	MX-1824F-86-A5
18x30	457x760	MX-1830F-86-S4	MX-1830F-86-A4	MX-1830F-86-S5	MX-1830F-86-A5
18x36	457x914	MX-1836F-86-S4	MX-1836F-86-A4	MX-1836F-86-S5	MX-1836F-86-A5
18x42	457x1060	MX-1842F-86-S4	MX-1842F-86-A4	MX-1842F-86-S5	MX-1842F-86-A5
18x48	457x1219	MX-1848F-86-S4	MX-1848F-86-A4	MX-1848F-86-S5	MX-1848F-86-A5
18x54	457x1372	MX-1854F-86-S4	MX-1854F-86-A4	MX-1854F-86-S5	MX-1854F-86-A5
18x60	457x1524	MX-1860F-86-S4	MX-1860F-86-A4	MX-1860F-86-S5	MX-1860F-86-A5
24x24	610x610	MX-2424F-86-S4	MX-2424F-86-A4	MX-2424F-86-S5	MX-2424F-86-A5
24x30	610x760	MX-2430F-86-S4	MX-2430F-86-A4	MX-2430F-86-S5	MX-2430F-86-A5
24x36	610x914	MX-2436F-86-S4	MX-2436F-86-A4	MX-2436F-86-S5	MX-2436F-86-A5
24x42	610x1060	MX-2442F-86-S4	MX-2442F-86-A4	MX-2442F-86-S5	MX-2442F-86-A5
24x48	610x1219	MX-2448F-86-S4	MX-2448F-86-A4	MX-2448F-86-S5	MX-2448F-86-A5
24x54	610x1372	MX-2454F-86-S4	MX-2454F-86-A4	MX-2454F-86-S5	MX-2454F-86-A5
24x60	610x1524	MX-2460F-86-S4	MX-2460F-86-A4	MX-2460F-86-S5	MX-2460F-86-A5
24x72	610x1829	MX-2472F-86-S4	MX-2472F-86-A4	MX-2472F-86-S5	MX-2472F-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.


SOLID MAT Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves, one solid mat shelf bottom and four posts.

Add-on Units: consist of four or five solid mat shelves, (2) posts, and standard S-Hook Kits
(2 per shelf) to configure end-to-end units.
Four-shelf units include (8) standard S-hooks.
Five-shelf units include (10) standard S-hooks.



- Regular S-hook location
- Intermediate bracket location
- Post
- Post not required



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.




Standard S-hook
(Included)
Cat. No.
M9995



Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR5**
(includes 5 intermediate S-hook brackets)






OPEN GRID Mat Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
68"			
		Mobile Unit Cat. No.	Mobile Unit Cat. No.
Nominal Width/Length (in.) (mm)			
18x24	457x610	MX-1824G-68-M4	MX-1824G-68-M5
18x30	457x760	MX-1830G-68-M4	MX-1830G-68-M5
18x36	457x914	MX-1836G-68-M4	MX-1836G-68-M5
18x42	457x1060	MX-1842G-68-M4	MX-1842G-68-M5
18x48	457x1219	MX-1848G-68-M4	MX-1848G-68-M5
18x54	457x1372	MX-1854G-68-M4	MX-1854G-68-M5
18x60	457x1524	MX-1860G-68-M4	MX-1860G-68-M5
18x72	457x1829	MX-1872G-68-M4	MX-1872G-68-M5
24x24	610x610	MX-2424G-68-M4	MX-2424G-68-M5
24x30	610x760	MX-2430G-68-M4	MX-2430G-68-M5
24x36	610x914	MX-2436G-68-M4	MX-2436G-68-M5
24x42	610x1060	MX-2442G-68-M4	MX-2442G-68-M5
24x48	610x1219	MX-2448G-68-M4	MX-2448G-68-M5
24x54	610x1372	MX-2454G-68-M4	MX-2454G-68-M5
24x60	610x1524	MX-2460G-68-M4	MX-2460G-68-M5
24x72	610x1829	MX-2472G-68-M4	MX-2472G-68-M5

Actual Height: 67.696" (1720 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: Width: Add 2-5/16" (2.3125") [59 mm] to nominal width. Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 5/8" (0.625") [16 mm] to nominal width. Length: Add 1/16" (0.0625") [2 mm] to nominal length.

OPEN GRID Mat Shelves — Mobile Shelving Units

Mobile Units: consist of four or five open grid mat shelves, four polymer posts and four Total-Guard polymer casters (two with brakes).



5PSTEX



5PSTEBX




OPEN GRID Mat Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
80"			
		Mobile Unit Cat. No.	Mobile Unit Cat. No.
Nominal Width/Length (in.) (mm)			
18x24	457x610	MX-1824G-80-M4	MX-1824G-80-M5
18x30	457x760	MX-1830G-80-M4	MX-1830G-80-M5
18x36	457x914	MX-1836G-80-M4	MX-1836G-80-M5
18x42	457x1060	MX-1842G-80-M4	MX-1842G-80-M5
18x48	457x1219	MX-1848G-80-M4	MX-1848G-80-M5
18x54	457x1372	MX-1854G-80-M4	MX-1854G-80-M5
18x60	457x1524	MX-1860G-80-M4	MX-1860G-80-M5
18x72	457x1829	MX-1872G-80-M4	MX-1872G-80-M5
24x24	610x610	MX-2424G-80-M4	MX-2424G-80-M5
24x30	610x760	MX-2430G-80-M4	MX-2430G-80-M5
24x36	610x914	MX-2436G-80-M4	MX-2436G-80-M5
24x42	610x1060	MX-2442G-80-M4	MX-2442G-80-M5
24x48	610x1219	MX-2448G-80-M4	MX-2448G-80-M5
24x54	610x1372	MX-2454G-80-M4	MX-2454G-80-M5
24x60	610x1524	MX-2460G-80-M4	MX-2460G-80-M5
24x72	610x1829	MX-2472G-80-M4	MX-2472G-80-M5

Actual Height: 79.696" (2024 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: Width: Add 2-5/16" (2.3125") [59 mm] to nominal width. Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 5/8" (0.625") [16 mm] to nominal width. Length: Add 1/16" (0.0625") [2 mm] to nominal length.

OPEN GRID Mat Shelves — Mobile Shelving Units

Mobile Units: consist of four or five open grid mat shelves, four polymer posts and four Total-Guard polymer casters (two with brakes).



5PSTEX



5PSTEBX




SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
68"			
		SOLID Mat Shelf	SOLID Mat Shelf
Nominal Width/Length (in.) (mm)		Mobile Unit Cat. No.	Mobile Unit Cat. No.
18x24	457x610	MX-1824GF-68-M4	MX-1824GF-68-M5
18x30	457x760	MX-1830GF-68-M4	MX-1830GF-68-M5
18x36	457x914	MX-1836GF-68-M4	MX-1836GF-68-M5
18x42	457x1060	MX-1842GF-68-M4	MX-1842GF-68-M5
18x48	457x1219	MX-1848GF-68-M4	MX-1848GF-68-M5
18x54	457x1372	MX-1854GF-68-M4	MX-1854GF-68-M5
18x60	457x1524	MX-1860GF-68-M4	MX-1860GF-68-M5
18x72	457x1829	MX-1872GF-68-M4	MX-1872GF-68-M5
24x24	610x610	MX-2424GF-68-M4	MX-2424GF-68-M5
24x30	610x760	MX-2430GF-68-M4	MX-2430GF-68-M5
24x36	610x914	MX-2436GF-68-M4	MX-2436GF-68-M5
24x42	610x1060	MX-2442GF-68-M4	MX-2442GF-68-M5
24x48	610x1219	MX-2448GF-68-M4	MX-2448GF-68-M5
24x54	610x1372	MX-2454GF-68-M4	MX-2454GF-68-M5
24x60	610x1524	MX-2460GF-68-M4	MX-2460GF-68-M5
24x72	610x1829	MX-2472GF-68-M4	MX-2472GF-68-M5

Actual Height: 67.696" (1720 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: **Width:** Add 2-5/16" (2.3125") [59 mm] to nominal width. **Length:** Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 5/8" (0.625") [16 mm] to nominal width. **Length:** Add 1/16" (0.0625") [2 mm] to nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Mobile Shelving Units

Mobile Units: consist of three or four open grid mat shelves, one solid mat bottom shelf, four polymer posts and four Total-Guard polymer casters (two with brakes).



5PSTEX



5PSTEBX




SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves — Mobile Shelving Units

UNIT HEIGHT		4-SHELF UNITS	5-SHELF UNITS
80"			
		SOLID Mat Shelf	SOLID Mat Shelf
Nominal Width/Length (in.) (mm)		Mobile Unit Cat. No.	Mobile Unit Cat. No.
18x24	457x610	MX-1824GF-80-M4	MX-1824GF-80-M5
18x30	457x760	MX-1830GF-80-M4	MX-1830GF-80-M5
18x36	457x914	MX-1836GF-80-M4	MX-1836GF-80-M5
18x42	457x1060	MX-1842GF-80-M4	MX-1842GF-80-M5
18x48	457x1219	MX-1848GF-80-M4	MX-1848GF-80-M5
18x54	457x1372	MX-1854GF-80-M4	MX-1854GF-80-M5
18x60	457x1524	MX-1860GF-80-M4	MX-1860GF-80-M5
18x72	457x1829	MX-1872GF-80-M4	MX-1872GF-80-M5
24x24	610x610	MX-2424GF-80-M4	MX-2424GF-80-M5
24x30	610x760	MX-2430GF-80-M4	MX-2430GF-80-M5
24x36	610x914	MX-2436GF-80-M4	MX-2436GF-80-M5
24x42	610x1060	MX-2442GF-80-M4	MX-2442GF-80-M5
24x48	610x1219	MX-2448GF-80-M4	MX-2448GF-80-M5
24x54	610x1372	MX-2454GF-80-M4	MX-2454GF-80-M5
24x60	610x1524	MX-2460GF-80-M4	MX-2460GF-80-M5
24x72	610x1829	MX-2472GF-80-M4	MX-2472GF-80-M5

Actual Height: 79.696" (2024 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers: **Width:** Add 2-5/16" (2.3125") [59 mm] to nominal width. **Length:** Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers. Casters are swiveled inwards.
Width: Add 5/8" (0.625") [16 mm] to nominal width. **Length:** Add 1/16" (0.0625") [2 mm] to nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
Mobile Shelving Units

Mobile Units: consist of three or four open grid mat shelves, one solid mat bottom shelf, four polymer posts and four Total-Guard polymer casters (two with brakes).






5PSTEX



5PSTEBX



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
6-Shelf and 7-Shelf Mobile Units

UNIT HEIGHT		6-SHELF UNITS		UNIT HEIGHT		6-SHELF UNITS		7-SHELF UNITS	
68"				80"					
Nominal Width/Length (in.) (mm)		Mobile Unit Cat. No.		Nominal Width/Length (in.) (mm)		Mobile Unit Cat. No.		Mobile Unit Cat. No.	
18x24	457x610	MX-1824GF-68-M6		18x24	457x610	MX-1824GF-80-M6		MX-1824GF-80-M7	
18x30	457x760	MX-1830GF-68-M6		18x30	457x760	MX-1830GF-80-M6		MX-1830GF-80-M7	
18x36	457x914	MX-1836GF-68-M6		18x36	457x914	MX-1836GF-80-M6		MX-1836GF-80-M7	
18x42	457x1060	MX-1842GF-68-M6		18x42	457x1060	MX-1842GF-80-M6		MX-1842GF-80-M7	
18x48	457x1219	MX-1848GF-68-M6		18x48	457x1219	MX-1848GF-80-M6		MX-1848GF-80-M7	
18x54	457x1372	MX-1854GF-68-M6		18x54	457x1372	MX-1854GF-80-M6		MX-1854GF-80-M7	
18x60	457x1524	MX-1860GF-68-M6		18x60	457x1524	MX-1860GF-80-M6		MX-1860GF-80-M7	
18x72	457x1829	MX-1872GF-68-M6		18x72	457x1829	MX-1872GF-80-M6		MX-1872GF-80-M7	
24x24	610x610	MX-2424GF-68-M6		24x24	610x610	MX-2424GF-80-M6		MX-2424GF-80-M7	
24x30	610x760	MX-2430GF-68-M6		24x30	610x760	MX-2430GF-80-M6		MX-2430GF-80-M7	
24x36	610x914	MX-2436GF-68-M6		24x36	610x914	MX-2436GF-80-M6		MX-2436GF-80-M7	
24x42	610x1060	MX-2442GF-68-M6		24x42	610x1060	MX-2442GF-80-M6		MX-2442GF-80-M7	
24x48	610x1219	MX-2448GF-68-M6		24x48	610x1219	MX-2448GF-80-M6		MX-2448GF-80-M7	
24x54	610x1372	MX-2454GF-68-M6		24x54	610x1372	MX-2454GF-80-M6		MX-2454GF-80-M7	
24x60	610x1524	MX-2460GF-68-M6		24x60	610x1524	MX-2460GF-80-M6		MX-2460GF-80-M7	
24x72	610x1829	MX-2472GF-68-M6		24x72	610x1829	MX-2472GF-80-M6		MX-2472GF-80-M7	



Actual Height: 67.696" (1720 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers:
Width: Add 2-5/16" (2.3125") [59 mm] to nominal width.
Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers.
Width: Add 5/8" (0.625") [16 mm] to nominal width.
Length: Add 1/16" (0.0625") [2 mm] to nominal length.

Actual Height: 79.696" (2024 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers:
Width: Add 2-5/16" (2.3125") [59 mm] to nominal width.
Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers.
Width: Add 5/8" (0.625") [16 mm] to nominal width.
Length: Add 1/16" (0.0625") [2 mm] to nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves
6-Shelf and 7-Shelf Mobile Units

Six-shelf units have five open grid mat shelves, and one solid bottom mat shelf and four posts and four Total-Guard casters (two with breaks).


Seven-shelf units have six open grid mat shelves, and one solid bottom mat shelf and four posts and four Total-Guard casters (two with breaks).




6-Shelf Mobile Unit



SOLID Mat Shelves — Mobile Shelving Units


UNIT HEIGHT		4-SHELF UNITS		
68"				
		Mobile Unit Cat. No.		
		18x24	457x610	MX-1824F-68-M4
		18x30	457x760	MX-1830F-68-M4
		18x36	457x914	MX-1836F-68-M4
		18x42	457x1060	MX-1842F-68-M4
		18x48	457x1219	MX-1848F-68-M4
		18x54	457x1372	MX-1854F-68-M4
		18x60	457x1524	MX-1860F-68-M4
		18x72	457x1829	MX-1872F-68-M4
		24x24	610x610	MX-2424F-68-M4
		24x30	610x760	MX-2430F-68-M4
		24x36	610x914	MX-2436F-68-M4
		24x42	610x1060	MX-2442F-68-M4
		24x48	610x1219	MX-2448F-68-M4
		24x54	610x1372	MX-2454F-68-M4
		24x60	610x1524	MX-2460F-68-M4
24x72	610x1829	MX-2472F-68-M4		

UNIT HEIGHT		4-SHELF UNITS		
80"				
		Mobile Unit Cat. No.		
		18x24	457x610	MX-1824F-80-M4
		18x30	457x760	MX-1830F-80-M4
		18x36	457x914	MX-1836F-80-M4
		18x42	457x1060	MX-1842F-80-M4
		18x48	457x1219	MX-1848F-80-M4
		18x54	457x1372	MX-1854F-80-M4
		18x60	457x1524	MX-1860F-80-M4
		18x72	457x1829	MX-1872F-80-M4
		24x24	610x610	MX-2424F-80-M4
		24x30	610x760	MX-2430F-80-M4
		24x36	610x914	MX-2436F-80-M4
		24x42	610x1060	MX-2442F-80-M4
		24x48	610x1219	MX-2448F-80-M4
		24x54	610x1372	MX-2454F-80-M4
		24x60	610x1524	MX-2460F-80-M4
24x72	610x1829	MX-2472F-80-M4		

Actual Height: 67.696" (1720 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers:
Width: Add 2-5/16" (2.3125") [59 mm] to nominal width.
Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers.
Width: Add 5/8" (0.625") [16 mm] to nominal width.
Length: Add 1/16" (0.0625") [2 mm] to nominal length.

Actual Height: 79.696" (2024 mm)
Actual dimensions are rounded to the nearest 1/16" (2 mm)
Actual Width and Length including bumpers:
Width: Add 2-5/16" (2.3125") [59 mm] to nominal width.
Length: Add 1-13/16" (1.8125") [46 mm] to nominal length.
Actual Width and Length including casters without bumpers.
Width: Add 5/8" (0.625") [16 mm] to nominal width.
Length: Add 1/16" (0.0625") [2 mm] to nominal length.

SOLID Mat Shelves — Mobile Shelving Units
Mobile Units: consist of four solid mat shelves, four polymer posts and four Total-Guard polymer casters (two with brakes).



5PSTEX

5PSTEBX


MetroMax[®] i Specifications

Product Specifications

	MetroMax i
Warranty	Lifetime against rust & corrosion Never Collapse Guarantee Each Metro stationary shelving unit, add-on shelving unit, mobile shelving unit and Track Shelving System are backed by a 100% money-back guarantee against unit collapse.
NSF	Shelving listed for ALL Environments
Antimicrobial Protection	Microban [®] Antimicrobial Product Protection is built into the shelf mats
Shelf Adjustment	Shelves adjust on 1" (25 mm) increments along the post
Post Capture	360° contact with post / post wedge
Cleaning	All components, including mats, are dishwasher and chemical cleaner safe
Shelf Mats	6" (152 mm) wide shelf mats easily remove for cleaning
Assembly	Shelves are ready to use right out of the box. One-piece wedges securely attach to the posts. Shelf seats into position over the posts and wedges. A unit can be assembled without tools in minutes.

Material Specifications

	MetroMax i
Shelf Mats	Polypropylene. Mats contain Microban [®] antimicrobial product protection.
Longitudinal Beams	Pultrusions — continuous glass fibers and thermoset resin composite.
End Beams	Reinforced nylon.
Posts	Pultrusions — continuous glass fibers and thermoset resin composite.
Post Cap / Center Beam Cap	High-density polyethylene.
Casters	Total-guard casters (5PSTEX, 5PSTEBX): Nylon rig, type 304 stainless steel stem and hardware, TPE wheel tread, Bumper is non-phthalate PVC.
Adjustable Foot / Socket / Shelf Wedge	Reinforced nylon
Collars / Shelf Frame Fasteners / S-hooks	Type 304 Stainless Steel
Continuous Temperature Exposure Range (with shelves under load): -20/120° F (-29/49° C) For cleaning the maximum intermittent temperature exposure is 212° F (100° C).	



Load Ratings

Stationary Unit	Mobile Unit	Four Post Unit & End-to-End Add-on Unit	Corner Configuration “L” with an Add-on Unit
1000 lbs. (454 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)	1000 lbs. (454 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)	800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)	800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
750 lbs. (340 kg) per shelf for lengths of 54" (1372 mm) or longer	750 lbs. (340 kg) per shelf for lengths of 54" (1372 mm) or longer	600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer	600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) per Unit	750 lbs. (340 kg) per unit with 5PSTEX/5PSTEBX casters	2000 lbs. (907 kg) per Unit	2000 lbs. (907 kg) per Unit

Shelving Height Guidelines

Shelf Depth	18" (457 mm)	24" (610 mm)
Maximum Allowable Post Height – Stationary	86" (2184 mm)	86" (2184 mm)
Maximum Allowable Post Height – Mobile	74" (1880 mm)	86" (2184 mm)



MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban® Products Company, Huntersville, NC. Microban® product protection does not by itself protect a user from food borne illness. Product must be routinely cleaned.



LO4-246 06/26

Information and specifications are subject to change without notice.
Please confirm at time of order.
Copyright © 2026 InterMetro Industries Corp.



metro.com

North Washington Street, Wilkes-Barre, PA 18705

Product Information: U.S. and Canada: 1.800.992.1776
Outside U.S. and Canada: metro.com/contactus

