

MetroMax® 4 Shelving Stationary Units and Add-on Units

All-polymer corrosion proof MetroMax 4 shelving is constructed from shelves with removable polymer shelf mats, wedges and polymer posts. The four-sided, continuous shelf frame with molded-in corners provides complete 360° capture of the wedges and posts to ensure stability, strength and structural integrity. Shelf mats have built-in Microban® antimicrobial product protection. Shelves and polymer posts offer a lifetime warranty against rust and corrosion. Each Stationary unit and Add-on unit has a maximum capacity of 2,000 lbs. (907 kg) evenly distributed. Load ratings (evenly distributed) for individual shelves on stationary and end-to-end add-on units are: 48" (1219 mm) and shorter at 800 lbs. (363 kg); 54" (1372 mm) and longer at 600 lbs. (272 kg). Stationary unit models have four posts – Each shelf mounts on four one-piece wedges along grooved, numbered posts. Add-on models have two posts – Each shelf mounts on two one-piece wedges and connects to an adjacent shelf with (2) S-hook brackets. Units assemble easily without tools. Shelves adjust on 1" (25 mm) increments along grooved, numbered posts. Non-marking, rust-proof polymer leveling feet may be adjusted up to 1" (25 mm) to account for uneven floors. Metro shelving is covered by a Never Collapse Guarantee.



Features and Benefits:

- **Stationary Units:** Include shelves and four posts under one easy to order model number.
- **Add-on Units:** Include (2) posts, shelves, and S-hooks to connect a unit end-to-end under one easy to order model number.
- **Corner (Right Angle) Units:** Allow easy access to the shelf contents by eliminating a front post. They are configured using a stationary shelving unit, an add-on unit and a corner S-hook kit.
- **Rust & Corrosion Proof:** All-polymer construction withstands moisture, chemicals, and harsh environments.
- **Lifetime:** Polymer shelves and posts offer a Lifetime Warranty against rust and corrosion.
- **Proven Stability:** Proven Metro corner design and rigid four-sided shelf frame deliver sturdy runs of shelving.
- **Easy-to-Clean:** 6" (152 mm) wide shelf mats easily remove from the shelf for cleaning by hand or in a commercial washer/ dish machine.
- **Microban® Antimicrobial Product Protection:** Is built into the shelf mats to help fight the growth of stain and odor-causing bacteria, fungi, mold, and mildew to keep product cleaner between cleanings.
- **Smooth, Protective Surfaces:** Smooth, flat surfaces protect packaged shelf contents from unwanted rips, tears, or damage.
- **Efficient Use of Space:** Shelves adjust on 1" (25 mm) increments along the post to maximize the use of available vertical space.
- **Fast, Easy Assembly Shelves** are ready to use right out of the box. One-piece wedges securely attach to the posts – Raised beads on the back of each wedge snap into the grooves on the post. Window on wedge aligns with numbers on the post to locate the desired shelf position. Shelf seats into position over the posts and wedges. A unit can be assembled without tools in minutes.
- **Open Grid mats:** Promote air flow and light penetration. Solid shelves are ordered separately.
- **NSF Listed** for all environments.
- **Optional Accessories:** are on spec sheet 9.25.
- **Never Collapse Guarantee:** Each Metro stationary shelving unit, add-on shelving unit, mobile shelving unit and Track Shelving System are backed by a 100% money-back guarantee against unit collapse.



4-Shelf Stationary Unit



4-Shelf Add-On Unit



MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban® Products Company, Huntersville, NC. Microban® product protection does not by itself protect a user from food borne illness. Product must be routinely cleaned.



Supports good
HACCP
processes



All Metro Catalog Sheets and our Never Collapse Guarantee Warranty are available on our website: metro.com

Material Specifications:

- **Shelf Mats:** Polypropylene. Mats contain Microban® antimicrobial product protection.
- **Longitudinal Beams:** Pultrusions — continuous glass fibers and thermoset resin composite.
- **End Beams, Adjustable Foot and Socket, Shelf Wedge Connector:** Reinforced nylon.
- **Posts:** Pultrusions — continuous glass fibers and thermoset resin composite.
- **Post Cap:** High-density polyethylene.
- **Standard S-hook and Intermediate S-hook Bracket:** Type 304 Stainless Steel
- **Continuous Temperature Exposure Range (with shelves under load):** -20/120° F (-29/49° C)
For cleaning the maximum intermittent temperature exposure is 212° F (100° C).

MetroMax 4 – Load Ratings



Four Post Unit & End-to-End Add-on Unit:

800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit



Corner Configuration "L" with an Add-on:

500 lbs. (227 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
400 lbs. (181 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit




Corner Configuration

Stationary Unit

Add-on Unit

Part Number Explanation



Shelf types:

G = all open grid mat shelves



GF = grid upper shelves & solid bottom shelf

F = all solid mat shelves



Four upper open grid shelves
with solid bottom shelf

OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	M4-1824G-63-S4	M4-1824G-63-A4	M4-1824G-63-S5	M4-1824G-63-A5
18x30	457x760	M4-1830G-63-S4	M4-1830G-63-A4	M4-1830G-63-S5	M4-1830G-63-A5
18x36	457x914	M4-1836G-63-S4	M4-1836G-63-A4	M4-1836G-63-S5	M4-1836G-63-A5
18x42	457x1060	M4-1842G-63-S4	M4-1842G-63-A4	M4-1842G-63-S5	M4-1842G-63-A5
18x48	457x1219	M4-1848G-63-S4	M4-1848G-63-A4	M4-1848G-63-S5	M4-1848G-63-A5
18x54	457x1372	M4-1854G-63-S4	M4-1854G-63-A4	M4-1854G-63-S5	M4-1854G-63-A5
18x60	457x1524	M4-1860G-63-S4	M4-1860G-63-A4	M4-1860G-63-S5	M4-1860G-63-A5
21x24	530x610	M4-2124G-63-S4	M4-2124G-63-A4	M4-2124G-63-S5	M4-2124G-63-A5
21x30	530x760	M4-2130G-63-S4	M4-2130G-63-A4	M4-2130G-63-S5	M4-2130G-63-A5
21x36	530x914	M4-2136G-63-S4	M4-2136G-63-A4	M4-2136G-63-S5	M4-2136G-63-A5
21x42	530x1060	M4-2142G-63-S4	M4-2142G-63-A4	M4-2142G-63-S5	M4-2142G-63-A5
21x48	530x1219	M4-2148G-63-S4	M4-2148G-63-A4	M4-2148G-63-S5	M4-2148G-63-A5
21x54	530x1372	M4-2154G-63-S4	M4-2154G-63-A4	M4-2154G-63-S5	M4-2154G-63-A5
21x60	530x1524	M4-2160G-63-S4	M4-2160G-63-A4	M4-2160G-63-S5	M4-2160G-63-A5
24x24	610x610	M4-2424G-63-S4	M4-2424G-63-A4	M4-2424G-63-S5	M4-2424G-63-A5
24x30	610x760	M4-2430G-63-S4	M4-2430G-63-A4	M4-2430G-63-S5	M4-2430G-63-A5
24x36	610x914	M4-2436G-63-S4	M4-2436G-63-A4	M4-2436G-63-S5	M4-2436G-63-A5
24x42	610x1060	M4-2442G-63-S4	M4-2442G-63-A4	M4-2442G-63-S5	M4-2442G-63-A5
24x48	610x1219	M4-2448G-63-S4	M4-2448G-63-A4	M4-2448G-63-S5	M4-2448G-63-A5
24x54	610x1372	M4-2454G-63-S4	M4-2454G-63-A4	M4-2454G-63-S5	M4-2454G-63-A5
24x60	610x1524	M4-2460G-63-S4	M4-2460G-63-A4	M4-2460G-63-S5	M4-2460G-63-A5
24x72	610x1829	M4-2472G-63-S4	M4-2472G-63-A4	M4-2472G-63-S5	M4-2472G-63-A5

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.


OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.


Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
MAX4-9995




Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR5**
(includes 5 intermediate S-hook brackets)



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	M4-1824G-74-S4	M4-1824G-74-A4	M4-1824G-74-S5	M4-1824G-74-A5
18x30	457x760	M4-1830G-74-S4	M4-1830G-74-A4	M4-1830G-74-S5	M4-1830G-74-A5
18x36	457x914	M4-1836G-74-S4	M4-1836G-74-A4	M4-1836G-74-S5	M4-1836G-74-A5
18x42	457x1060	M4-1842G-74-S4	M4-1842G-74-A4	M4-1842G-74-S5	M4-1842G-74-A5
18x48	457x1219	M4-1848G-74-S4	M4-1848G-74-A4	M4-1848G-74-S5	M4-1848G-74-A5
18x54	457x1372	M4-1854G-74-S4	M4-1854G-74-A4	M4-1854G-74-S5	M4-1854G-74-A5
18x60	457x1524	M4-1860G-74-S4	M4-1860G-74-A4	M4-1860G-74-S5	M4-1860G-74-A5
21x24	530x610	M4-2124G-74-S4	M4-2124G-74-A4	M4-2124G-74-S5	M4-2124G-74-A5
21x30	530x760	M4-2130G-74-S4	M4-2130G-74-A4	M4-2130G-74-S5	M4-2130G-74-A5
21x36	530x914	M4-2136G-74-S4	M4-2136G-74-A4	M4-2136G-74-S5	M4-2136G-74-A5
21x42	530x1060	M4-2142G-74-S4	M4-2142G-74-A4	M4-2142G-74-S5	M4-2142G-74-A5
21x48	530x1219	M4-2148G-74-S4	M4-2148G-74-A4	M4-2148G-74-S5	M4-2148G-74-A5
21x54	530x1372	M4-2154G-74-S4	M4-2154G-74-A4	M4-2154G-74-S5	M4-2154G-74-A5
21x60	530x1524	M4-2160G-74-S4	M4-2160G-74-A4	M4-2160G-74-S5	M4-2160G-74-A5
24x24	610x610	M4-2424G-74-S4	M4-2424G-74-A4	M4-2424G-74-S5	M4-2424G-74-A5
24x30	610x760	M4-2430G-74-S4	M4-2430G-74-A4	M4-2430G-74-S5	M4-2430G-74-A5
24x36	610x914	M4-2436G-74-S4	M4-2436G-74-A4	M4-2436G-74-S5	M4-2436G-74-A5
24x42	610x1060	M4-2442G-74-S4	M4-2442G-74-A4	M4-2442G-74-S5	M4-2442G-74-A5
24x48	610x1219	M4-2448G-74-S4	M4-2448G-74-A4	M4-2448G-74-S5	M4-2448G-74-A5
24x54	610x1372	M4-2454G-74-S4	M4-2454G-74-A4	M4-2454G-74-S5	M4-2454G-74-A5
24x60	610x1524	M4-2460G-74-S4	M4-2460G-74-A4	M4-2460G-74-S5	M4-2460G-74-A5
24x72	610x1829	M4-2472G-74-S4	M4-2472G-74-A4	M4-2472G-74-S5	M4-2472G-74-A5

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

OPEN GRID Mat Shelves — Stationary Units and Add-On Units



Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits


(2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
MAX4-9995



Intermediate S-hook Bracket


Four-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR5**
(includes 5 intermediate S-hook brackets)

CORNER UNIT



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	M4-1824G-86-S4	M4-1824G-86-A4	M4-1824G-86-S5	M4-1824G-86-A5
18x30	457x760	M4-1830G-86-S4	M4-1830G-86-A4	M4-1830G-86-S5	M4-1830G-86-A5
18x36	457x914	M4-1836G-86-S4	M4-1836G-86-A4	M4-1836G-86-S5	M4-1836G-86-A5
18x42	457x1060	M4-1842G-86-S4	M4-1842G-86-A4	M4-1842G-86-S5	M4-1842G-86-A5
18x48	457x1219	M4-1848G-86-S4	M4-1848G-86-A4	M4-1848G-86-S5	M4-1848G-86-A5
18x54	457x1372	M4-1854G-86-S4	M4-1854G-86-A4	M4-1854G-86-S5	M4-1854G-86-A5
18x60	457x1524	M4-1860G-86-S4	M4-1860G-86-A4	M4-1860G-86-S5	M4-1860G-86-A5
21x24	530x610	M4-2124G-86-S4	M4-2124G-86-A4	M4-2124G-86-S5	M4-2124G-86-A5
21x30	530x760	M4-2130G-86-S4	M4-2130G-86-A4	M4-2130G-86-S5	M4-2130G-86-A5
21x36	530x914	M4-2136G-86-S4	M4-2136G-86-A4	M4-2136G-86-S5	M4-2136G-86-A5
21x42	530x1060	M4-2142G-86-S4	M4-2142G-86-A4	M4-2142G-86-S5	M4-2142G-86-A5
21x48	530x1219	M4-2148G-86-S4	M4-2148G-86-A4	M4-2148G-86-S5	M4-2148G-86-A5
21x54	530x1372	M4-2154G-86-S4	M4-2154G-86-A4	M4-2154G-86-S5	M4-2154G-86-A5
21x60	530x1524	M4-2160G-86-S4	M4-2160G-86-A4	M4-2160G-86-S5	M4-2160G-86-A5
24x24	610x610	M4-2424G-86-S4	M4-2424G-86-A4	M4-2424G-86-S5	M4-2424G-86-A5
24x30	610x760	M4-2430G-86-S4	M4-2430G-86-A4	M4-2430G-86-S5	M4-2430G-86-A5
24x36	610x914	M4-2436G-86-S4	M4-2436G-86-A4	M4-2436G-86-S5	M4-2436G-86-A5
24x42	610x1060	M4-2442G-86-S4	M4-2442G-86-A4	M4-2442G-86-S5	M4-2442G-86-A5
24x48	610x1219	M4-2448G-86-S4	M4-2448G-86-A4	M4-2448G-86-S5	M4-2448G-86-A5
24x54	610x1372	M4-2454G-86-S4	M4-2454G-86-A4	M4-2454G-86-S5	M4-2454G-86-A5
24x60	610x1524	M4-2460G-86-S4	M4-2460G-86-A4	M4-2460G-86-S5	M4-2460G-86-A5
24x72	610x1829	M4-2472G-86-S4	M4-2472G-86-A4	M4-2472G-86-S5	M4-2472G-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.


Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
MAX4-9995




Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR5**
(includes 5 intermediate S-hook brackets)



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	M4-1824GF-63-S4	M4-1824GF-63-A4	M4-1824GF-63-S5	M4-1824GF-63-A5
18x30	457x760	M4-1830GF-63-S4	M4-1830GF-63-A4	M4-1830GF-63-S5	M4-1830GF-63-A5
18x36	457x914	M4-1836GF-63-S4	M4-1836GF-63-A4	M4-1836GF-63-S5	M4-1836GF-63-A5
18x42	457x1060	M4-1842GF-63-S4	M4-1842GF-63-A4	M4-1842GF-63-S5	M4-1842GF-63-A5
18x48	457x1219	M4-1848GF-63-S4	M4-1848GF-63-A4	M4-1848GF-63-S5	M4-1848GF-63-A5
18x54	457x1372	M4-1854GF-63-S4	M4-1854GF-63-A4	M4-1854GF-63-S5	M4-1854GF-63-A5
18x60	457x1524	M4-1860GF-63-S4	M4-1860GF-63-A4	M4-1860GF-63-S5	M4-1860GF-63-A5
21x24	530x610	M4-2124GF-63-S4	M4-2124GF-63-A4	M4-2124GF-63-S5	M4-2124GF-63-A5
21x30	530x760	M4-2130GF-63-S4	M4-2130GF-63-A4	M4-2130GF-63-S5	M4-2130GF-63-A5
21x36	530x914	M4-2136GF-63-S4	M4-2136GF-63-A4	M4-2136GF-63-S5	M4-2136GF-63-A5
21x42	530x1060	M4-2142GF-63-S4	M4-2142GF-63-A4	M4-2142GF-63-S5	M4-2142GF-63-A5
21x48	530x1219	M4-2148GF-63-S4	M4-2148GF-63-A4	M4-2148GF-63-S5	M4-2148GF-63-A5
21x54	530x1372	M4-2154GF-63-S4	M4-2154GF-63-A4	M4-2154GF-63-S5	M4-2154GF-63-A5
21x60	530x1524	M4-2160GF-63-S4	M4-2160GF-63-A4	M4-2160GF-63-S5	M4-2160GF-63-A5
24x24	610x610	M4-2424GF-63-S4	M4-2424GF-63-A4	M4-2424GF-63-S5	M4-2424GF-63-A5
24x30	610x760	M4-2430GF-63-S4	M4-2430GF-63-A4	M4-2430GF-63-S5	M4-2430GF-63-A5
24x36	610x914	M4-2436GF-63-S4	M4-2436GF-63-A4	M4-2436GF-63-S5	M4-2436GF-63-A5
24x42	610x1060	M4-2442GF-63-S4	M4-2442GF-63-A4	M4-2442GF-63-S5	M4-2442GF-63-A5
24x48	610x1219	M4-2448GF-63-S4	M4-2448GF-63-A4	M4-2448GF-63-S5	M4-2448GF-63-A5
24x54	610x1372	M4-2454GF-63-S4	M4-2454GF-63-A4	M4-2454GF-63-S5	M4-2454GF-63-A5
24x60	610x1524	M4-2460GF-63-S4	M4-2460GF-63-A4	M4-2460GF-63-S5	M4-2460GF-63-A5
24x72	610x1829	M4-2472GF-63-S4	M4-2472GF-63-A4	M4-2472GF-63-S5	M4-2472GF-63-A5

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.


SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.


Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



- Regular S-hook location
- Intermediate bracket location
- Post
- Post not required

END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
MAX4-9995




Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR4**

(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. **MAX4-CNR5**

(includes 5 intermediate S-hook brackets)



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	M4-1824GF-74-S4	M4-1824GF-74-A4	M4-1824GF-74-S5	M4-1824GF-74-A5
18x30	457x760	M4-1830GF-74-S4	M4-1830GF-74-A4	M4-1830GF-74-S5	M4-1830GF-74-A5
18x36	457x914	M4-1836GF-74-S4	M4-1836GF-74-A4	M4-1836GF-74-S5	M4-1836GF-74-A5
18x42	457x1060	M4-1842GF-74-S4	M4-1842GF-74-A4	M4-1842GF-74-S5	M4-1842GF-74-A5
18x48	457x1219	M4-1848GF-74-S4	M4-1848GF-74-A4	M4-1848GF-74-S5	M4-1848GF-74-A5
18x54	457x1372	M4-1854GF-74-S4	M4-1854GF-74-A4	M4-1854GF-74-S5	M4-1854GF-74-A5
18x60	457x1524	M4-1860GF-74-S4	M4-1860GF-74-A4	M4-1860GF-74-S5	M4-1860GF-74-A5
21x24	530x610	M4-2124GF-74-S4	M4-2124GF-74-A4	M4-2124GF-74-S5	M4-2124GF-74-A5
21x30	530x760	M4-2130GF-74-S4	M4-2130GF-74-A4	M4-2130GF-74-S5	M4-2130GF-74-A5
21x36	530x914	M4-2136GF-74-S4	M4-2136GF-74-A4	M4-2136GF-74-S5	M4-2136GF-74-A5
21x42	530x1060	M4-2142GF-74-S4	M4-2142GF-74-A4	M4-2142GF-74-S5	M4-2142GF-74-A5
21x48	530x1219	M4-2148GF-74-S4	M4-2148GF-74-A4	M4-2148GF-74-S5	M4-2148GF-74-A5
21x54	530x1372	M4-2154GF-74-S4	M4-2154GF-74-A4	M4-2154GF-74-S5	M4-2154GF-74-A5
21x60	530x1524	M4-2160GF-74-S4	M4-2160GF-74-A4	M4-2160GF-74-S5	M4-2160GF-74-A5
24x24	610x610	M4-2424GF-74-S4	M4-2424GF-74-A4	M4-2424GF-74-S5	M4-2424GF-74-A5
24x30	610x760	M4-2430GF-74-S4	M4-2430GF-74-A4	M4-2430GF-74-S5	M4-2430GF-74-A5
24x36	610x914	M4-2436GF-74-S4	M4-2436GF-74-A4	M4-2436GF-74-S5	M4-2436GF-74-A5
24x42	610x1060	M4-2442GF-74-S4	M4-2442GF-74-A4	M4-2442GF-74-S5	M4-2442GF-74-A5
24x48	610x1219	M4-2448GF-74-S4	M4-2448GF-74-A4	M4-2448GF-74-S5	M4-2448GF-74-A5
24x54	610x1372	M4-2454GF-74-S4	M4-2454GF-74-A4	M4-2454GF-74-S5	M4-2454GF-74-A5
24x60	610x1524	M4-2460GF-74-S4	M4-2460GF-74-A4	M4-2460GF-74-S5	M4-2460GF-74-A5
24x72	610x1829	M4-2472GF-74-S4	M4-2472GF-74-A4	M4-2472GF-74-S5	M4-2472GF-74-A5

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.


SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.


Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



- Regular S-hook location
- Intermediate bracket location
- Post
- Post not required

END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
MAX4-9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:


Cat. No. **MAX4-CNR4**

(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR5**

(includes 5 intermediate S-hook brackets)



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	M4-1824GF-86-S4	M4-1824GF-86-A4	M4-1824GF-86-S5	M4-1824GF-86-A5
18x30	457x760	M4-1830GF-86-S4	M4-1830GF-86-A4	M4-1830GF-86-S5	M4-1830GF-86-A5
18x36	457x914	M4-1836GF-86-S4	M4-1836GF-86-A4	M4-1836GF-86-S5	M4-1836GF-86-A5
18x42	457x1060	M4-1842GF-86-S4	M4-1842GF-86-A4	M4-1842GF-86-S5	M4-1842GF-86-A5
18x48	457x1219	M4-1848GF-86-S4	M4-1848GF-86-A4	M4-1848GF-86-S5	M4-1848GF-86-A5
18x54	457x1372	M4-1854GF-86-S4	M4-1854GF-86-A4	M4-1854GF-86-S5	M4-1854GF-86-A5
18x60	457x1524	M4-1860GF-86-S4	M4-1860GF-86-A4	M4-1860GF-86-S5	M4-1860GF-86-A5
21x24	530x610	M4-2124GF-86-S4	M4-2124GF-86-A4	M4-2124GF-86-S5	M4-2124GF-86-A5
21x30	530x760	M4-2130GF-86-S4	M4-2130GF-86-A4	M4-2130GF-86-S5	M4-2130GF-86-A5
21x36	530x914	M4-2136GF-86-S4	M4-2136GF-86-A4	M4-2136GF-86-S5	M4-2136GF-86-A5
21x42	530x1060	M4-2142GF-86-S4	M4-2142GF-86-A4	M4-2142GF-86-S5	M4-2142GF-86-A5
21x48	530x1219	M4-2148GF-86-S4	M4-2148GF-86-A4	M4-2148GF-86-S5	M4-2148GF-86-A5
21x54	530x1372	M4-2154GF-86-S4	M4-2154GF-86-A4	M4-2154GF-86-S5	M4-2154GF-86-A5
21x60	530x1524	M4-2160GF-86-S4	M4-2160GF-86-A4	M4-2160GF-86-S5	M4-2160GF-86-A5
24x24	610x610	M4-2424GF-86-S4	M4-2424GF-86-A4	M4-2424GF-86-S5	M4-2424GF-86-A5
24x30	610x760	M4-2430GF-86-S4	M4-2430GF-86-A4	M4-2430GF-86-S5	M4-2430GF-86-A5
24x36	610x914	M4-2436GF-86-S4	M4-2436GF-86-A4	M4-2436GF-86-S5	M4-2436GF-86-A5
24x42	610x1060	M4-2442GF-86-S4	M4-2442GF-86-A4	M4-2442GF-86-S5	M4-2442GF-86-A5
24x48	610x1219	M4-2448GF-86-S4	M4-2448GF-86-A4	M4-2448GF-86-S5	M4-2448GF-86-A5
24x54	610x1372	M4-2454GF-86-S4	M4-2454GF-86-A4	M4-2454GF-86-S5	M4-2454GF-86-A5
24x60	610x1524	M4-2460GF-86-S4	M4-2460GF-86-A4	M4-2460GF-86-S5	M4-2460GF-86-A5
24x72	610x1829	M4-2472GF-86-S4	M4-2472GF-86-A4	M4-2472GF-86-S5	M4-2472GF-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.


SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.


Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



- Regular S-hook location
- Intermediate bracket location
- Post
- Post not required

END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
MAX4-9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR4**


(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:




Cat. No. **MAX4-CNR5**

(includes 5 intermediate S-hook brackets)

CORNER UNIT



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves 6-Shelf and 7-Shelf Stationary Units


UNIT HEIGHT	6-SHELF UNITS	UNIT HEIGHT	6-SHELF UNITS	7-SHELF UNITS		
63"		74"				
	Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Nominal Width/Length (in.) (mm)	Stationary Unit Cat. No.	
	18x24 457x610		M4-1824GF-63-S6	18x24 457x610	M4-1824GF-74-S6	M4-1824GF-74-S7
	18x30 457x760		M4-1830GF-63-S6	18x30 457x760	M4-1830GF-74-S6	M4-1830GF-74-S7
	18x36 457x914		M4-1836GF-63-S6	18x36 457x914	M4-1836GF-74-S6	M4-1836GF-74-S7
	18x42 457x1060		M4-1842GF-63-S6	18x42 457x1060	M4-1842GF-74-S6	M4-1842GF-74-S7
	18x48 457x1219		M4-1848GF-63-S6	18x48 457x1219	M4-1848GF-74-S6	M4-1848GF-74-S7
	18x54 457x1372		M4-1854GF-63-S6	18x54 457x1372	M4-1854GF-74-S6	M4-1854GF-74-S7
	18x60 457x1524		M4-1860GF-63-S6	18x60 457x1524	M4-1860GF-74-S6	M4-1860GF-74-S7
	24x24 610x610		M4-2424GF-63-S6	24x24 610x610	M4-2424GF-74-S6	M4-2424GF-74-S7
24x30 610x760	M4-2430GF-63-S6	24x30 610x760	M4-2430GF-74-S6	M4-2430GF-74-S7		
24x36 610x914	M4-2436GF-63-S6	24x36 610x914	M4-2436GF-74-S6	M4-2436GF-74-S7		
24x42 610x1060	M4-2442GF-63-S6	24x42 610x1060	M4-2442GF-74-S6	M4-2442GF-74-S7		
24x48 610x1219	M4-2448GF-63-S6	24x48 610x1219	M4-2448GF-74-S6	M4-2448GF-74-S7		
24x54 610x1372	M4-2454GF-63-S6	24x54 610x1372	M4-2454GF-74-S6	M4-2454GF-74-S7		
24x60 610x1524	M4-2460GF-63-S6	24x60 610x1524	M4-2460GF-74-S6	M4-2460GF-74-S7		
24x72 610x1829	M4-2472GF-63-S6	24x72 610x1829	M4-2472GF-74-S6	M4-2472GF-74-S7		

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves 6-Shelf and 7-Shelf Stationary Units

Six-shelf units have five open grid mat shelves, and one solid bottom mat shelf and four posts.
 Seven-shelf units have six open grid mat shelves, and one solid bottom mat shelf and four posts.



SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS	
63"			
		Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)		
18x24	457x610	M4-1824F-63-S4	M4-1824F-63-A4
18x30	457x760	M4-1830F-63-S4	M4-1830F-63-A4
18x36	457x914	M4-1836F-63-S4	M4-1836F-63-A4
18x42	457x1060	M4-1842F-63-S4	M4-1842F-63-A4
18x48	457x1219	M4-1848F-63-S4	M4-1848F-63-A4
18x54	457x1372	M4-1854F-63-S4	M4-1854F-63-A4
18x60	457x1524	M4-1860F-63-S4	M4-1860F-63-A4
21x24	530x610	M4-2124F-63-S4	M4-2124F-63-A4
21x30	530x760	M4-2130F-63-S4	M4-2130F-63-A4
21x36	530x914	M4-2136F-63-S4	M4-2136F-63-A4
21x42	530x1060	M4-2142F-63-S4	M4-2142F-63-A4
21x48	530x1219	M4-2148F-63-S4	M4-2148F-63-A4
21x54	530x1372	M4-2154F-63-S4	M4-2154F-63-A4
21x60	530x1524	M4-2160F-63-S4	M4-2160F-63-A4
24x24	610x610	M4-2424F-63-S4	M4-2424F-63-A4
24x30	610x760	M4-2430F-63-S4	M4-2430F-63-A4
24x36	610x914	M4-2436F-63-S4	M4-2436F-63-A4
24x42	610x1060	M4-2442F-63-S4	M4-2442F-63-A4
24x48	610x1219	M4-2448F-63-S4	M4-2448F-63-A4
24x54	610x1372	M4-2454F-63-S4	M4-2454F-63-A4
24x60	610x1524	M4-2460F-63-S4	M4-2460F-63-A4
24x72	610x1829	M4-2472F-63-S4	M4-2472F-63-A4

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width.





Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

SOLID MAT Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four solid mat shelves and four posts.

Add-on Units: consist of four solid mat shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.




Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
MAX4-9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR5**
(includes 5 intermediate S-hook brackets)

SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS	
74"			
		Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)		
18x24	457x610	M4-1824F-74-S4	M4-1824F-74-A4
18x30	457x760	M4-1830F-74-S4	M4-1830F-74-A4
18x36	457x914	M4-1836F-74-S4	M4-1836F-74-A4
18x42	457x1060	M4-1842F-74-S4	M4-1842F-74-A4
18x48	457x1219	M4-1848F-74-S4	M4-1848F-74-A4
18x54	457x1372	M4-1854F-74-S4	M4-1854F-74-A4
18x60	457x1524	M4-1860F-74-S4	M4-1860F-74-A4
21x24	530x610	M4-2124F-74-S4	M4-2124F-74-A4
21x30	530x760	M4-2130F-74-S4	M4-2130F-74-A4
21x36	530x914	M4-2136F-74-S4	M4-2136F-74-A4
21x42	530x1060	M4-2142F-74-S4	M4-2142F-74-A4
21x48	530x1219	M4-2148F-74-S4	M4-2148F-74-A4
21x54	530x1372	M4-2154F-74-S4	M4-2154F-74-A4
21x60	530x1524	M4-2160F-74-S4	M4-2160F-74-A4
24x24	610x610	M4-2424F-74-S4	M4-2424F-74-A4
24x30	610x760	M4-2430F-74-S4	M4-2430F-74-A4
24x36	610x914	M4-2436F-74-S4	M4-2436F-74-A4
24x42	610x1060	M4-2442F-74-S4	M4-2442F-74-A4
24x48	610x1219	M4-2448F-74-S4	M4-2448F-74-A4
24x54	610x1372	M4-2454F-74-S4	M4-2454F-74-A4
24x60	610x1524	M4-2460F-74-S4	M4-2460F-74-A4
24x72	610x1829	M4-2472F-74-S4	M4-2472F-74-A4

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width.




Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

SOLID MAT Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four solid mat shelves and four posts.

Add-on Units: consist of four solid mat shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.




Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
MAX4-9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:




Cat. No. **MAX4-CNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MAX4-CNR5**
(includes 5 intermediate S-hook brackets)

MetroMax® 4 Shelving Stationary Units and Add-on Units

SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)					
18x24	457x610	M4-1824F-86-S4	M4-1824F-86-A4	M4-1824F-86-S5	M4-1824F-86-A5
18x30	457x760	M4-1830F-86-S4	M4-1830F-86-A4	M4-1830F-86-S5	M4-1830F-86-A5
18x36	457x914	M4-1836F-86-S4	M4-1836F-86-A4	M4-1836F-86-S5	M4-1836F-86-A5
18x42	457x1060	M4-1842F-86-S4	M4-1842F-86-A4	M4-1842F-86-S5	M4-1842F-86-A5
18x48	457x1219	M4-1848F-86-S4	M4-1848F-86-A4	M4-1848F-86-S5	M4-1848F-86-A5
18x54	457x1372	M4-1854F-86-S4	M4-1854F-86-A4	M4-1854F-86-S5	M4-1854F-86-A5
18x60	457x1524	M4-1860F-86-S4	M4-1860F-86-A4	M4-1860F-86-S5	M4-1860F-86-A5
21x24	530x610	M4-2124F-86-S4	M4-2124F-86-A4	M4-2124F-86-S5	M4-2124F-86-A5
21x30	530x760	M4-2130F-86-S4	M4-2130F-86-A4	M4-2130F-86-S5	M4-2130F-86-A5
21x36	530x914	M4-2136F-86-S4	M4-2136F-86-A4	M4-2136F-86-S5	M4-2136F-86-A5
21x42	530x1060	M4-2142F-86-S4	M4-2142F-86-A4	M4-2142F-86-S5	M4-2142F-86-A5
21x48	530x1219	M4-2148F-86-S4	M4-2148F-86-A4	M4-2148F-86-S5	M4-2148F-86-A5
21x54	530x1372	M4-2154F-86-S4	M4-2154F-86-A4	M4-2154F-86-S5	M4-2154F-86-A5
21x60	530x1524	M4-2160F-86-S4	M4-2160F-86-A4	M4-2160F-86-S5	M4-2160F-86-A5
24x24	610x610	M4-2424F-86-S4	M4-2424F-86-A4	M4-2424F-86-S5	M4-2424F-86-A5
24x30	610x760	M4-2430F-86-S4	M4-2430F-86-A4	M4-2430F-86-S5	M4-2430F-86-A5
24x36	610x914	M4-2436F-86-S4	M4-2436F-86-A4	M4-2436F-86-S5	M4-2436F-86-A5
24x42	610x1060	M4-2442F-86-S4	M4-2442F-86-A4	M4-2442F-86-S5	M4-2442F-86-A5
24x48	610x1219	M4-2448F-86-S4	M4-2448F-86-A4	M4-2448F-86-S5	M4-2448F-86-A5
24x54	610x1372	M4-2454F-86-S4	M4-2454F-86-A4	M4-2454F-86-S5	M4-2454F-86-A5
24x60	610x1524	M4-2460F-86-S4	M4-2460F-86-A4	M4-2460F-86-S5	M4-2460F-86-A5
24x72	610x1829	M4-2472F-86-S4	M4-2472F-86-A4	M4-2472F-86-S5	M4-2472F-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/2" [0.5", (10 mm)] to the nominal width. Subtract 1/16" [0.0625", (2 mm)] from the nominal length.

SOLID MAT Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five solid mat shelves and four posts.

Add-on Units: consist of four or five solid mat shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.


Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit



Standard S-hook (Included)
Cat. No. MAX4-9995



Intermediate S-hook Bracket
Four-shelf Corner Unit S-hook Kit:
Cat. No. MAX4-CNR4
(includes 4 intermediate S-hook brackets)
Five-shelf Corner Unit S-hook Kit:
Cat. No. MAX4-CNR5
(includes 5 intermediate S-hook brackets)



- Regular S-hook location
- Intermediate bracket location
- Post
- Post not required

